



LIGHTING

EL-RANGE

A professional in lighting



2009-2010
www.el-range.com




Brief

EL-RANGE MANUFACTURING CO.,LTD. is an American invested company. It is professional in production of lighting and electrical accessories such as furniture lighting, all kinds of downlights and discharge floodlights for commercial purpose, etc.. All products are exported to E.U., North America and countries in Middle East. Most of our products have got GS/CE, UL and RoHS approval.








With 12 years of experience in lighting products, we know how to make and design products according to customer's requirements well. We also follow the leading direction of lighting tightly, and design new items accordingly. We have ISO9001 approval and a strong technical engineers team.

We welcome OEM and any customer from all over the world.




CONTENTS

	Furniture Lightings.....	01-29
	Recessed Downlights.....	29-42
	LED Deck Lightings.....	43-46
	LED Strip Lights.....	47-48
	Electronic Fluorescent Striplights.....	49-56
	Comercial Ceiling and Display Lights.....	57-69
	Under-ground Lightings.....	70-76
	Water-Proof Lightings.....	77-84
	Outdoor Garden Lightings.....	85-85
	Step Lightings.....	86-89
	Outdoor Wall Lightings.....	90-91
	Wall Lightings.....	92-93
	Stainless Steel Lightings.....	94-97
	Garden Lightings.....	98-101
	Floodlights.....	102-110
	Highbay Lightings.....	111-112
	LED Street Lightings.....	113-114
	Electronic Transformer.....	115-115
	Electro-magnetic Transformer.....	116-116
	Ballast.....	117-118
	Gear Box.....	119-119
	Cable Ties & Clamp.....	120-120



>> Shelf Lights

Item No. 201001-45



Item No.201001-45


- Bulb:T4 8W
- Material:Aluminum+Glass
- Outer Size(LxWxH):450x180x60mm

Item No.201001-45-LED

- Bulb:LED board



Item No. 201001-60




Item No.201001-60


- Bulb: T4 16W
- Material:Aluminum+Glass
- Outer Size(LxWxH):600x180x60mm

Item No.201001-60-LED

- Bulb:LED board



Item No. 201001-90



Item No.201001-90


- Bulb:T4 24W
- Material:Aluminum+Glass
- Outer Size(LxWxH):900x180x60mm

Item No.201001-90-LED

- Bulb: LED board




Item No. 200306-53S



- Max:7W,9W
- Bulb:GX53,230V/250V 50Hz
- Material:Stainless Steel

CE

Item No. 200306-53-3



- Max:7W,9W
- Bulb:GX53,230V/250V 50Hz
- Material:Stainless steel

CE

Item No. 200306-53-2



- Max:7W,9W
- Bulb:GX53,230V/250V 50Hz
- Material:Stainless steel

CE

Item No. 200306-53-1



- Max:7W,9W
- Bulb:GX53,230V/250V 50Hz
- Material:Stainless steel

CE

Item No.	Outer Size(LxW)	Height
200306-53S	180x145mm	50mm

Item No.	Outer Size(LxW)	Height
200306-53-3	180x145mm	50mm

Item No.	Outer Size	Height
200306-53-2	Ø98mm	33mm

Item No.	Outer Size	Ø82mm
200306-53-1	Ø93mm	Ø82mm

Item No. 200307-53R3



- Max:7W,9W
- Bulb:GX53, 230V/250V 50Hz
- Material:Thermo-plastic



CE

Item No.	Outer Size	
200307-53R3	Ø84mm	78mm

Item No. 200307-53R4



- Max:7W,9W
- Bulb:GX53, 230V/250V 50Hz
- Material:Thermo-plastic

CE

Item No.	Outer Size	
200307-53R4	Ø84mm	78mm

Item No. 200307-53R2



- Max:7W,9W
- Bulb:GX53, 230V/250V 50Hz
- Material:Thermo-plastic

CE

Item No.	Outer Size	Height
200307-53R2	Ø84mm	18mm

Item No. 200306-53RS



- Max:7W,9W
- Bulb:GX53, 230V/250V 50Hz
- Material:Thermo-plastic

CE

Item No.	Outer Size	Height
200306-53RS	Ø90mm	33mm

Item No. **200307-53S1**

Item No. **200307-53S**



- Max:7W,9W
- Bulb:GX53, 230V/250V 50Hz
- Material:Thermo-plastic

CE

Item No.	Outer Size		Height
200307-53S1	Ø98mm	Ø78mm	14mm
200307-53S	Ø100mm		15mm

Item No. **200313-53LED**



Item No:200313-53LED

- Max:3.8W
- Bulb:GX53,39/50/60 Diodes
- Material:Plastic

Item No:200313-53

- Max:13W
- Bulb:GX53 CFL Lamp 230/250V



CE

Item No. **200312-53O**



Item No:200312-53OLED


- Max:3.8W
- Bulb:GX53,39/50/60 Diodes
- Material:Plastic

Item No:200312-53O

- Max:9W
- Bulb:GX53 CFL Lamp 230/250V

CE

Item No. **200312-53T**



Item No:200312-53TLED

- Max:3.8W
- Bulb:GX53,39/50/60 Diodes
- Material:Plastic

Item No:200312-53T

- Max:9W
- Bulb:GX53 CFL Lamp 230/250V

CE

Item No. 200309-3



- Max:40W
- Bulb:G9,230V/250V 50Hz
- Material:Stainless steel



Item No. 200309-2



- Max:40W
- Bulb:G9,230V/250V 50Hz
- Material:Stainless steel



Item No. 200309-1




- Max:40W
- Bulb:G9,230V/250V 50Hz
- Material:Stainless steel



Item No.	Outer Size	Height
200309-2	Ø98mm	33mm

Item No.	Outer Size	
200309-1	Ø93mm	Ø82mm

Item No. 200690-2LED




- Input:12V DC/AC
- Output:1,5Watt (21 LED)

LED

CE

Item No.	Outer Size (L x W)	Height
200690-2LED	150x150mm	62mm

Item No. 200690-LED




- Input:12V DC/AC
- Output:1,5Watt (21 LED)

LED

CE

Item No.	Outer Size (L x W)	Height
200690-LED	180x180mm	62mm

Item No. 200691-LED




- Input:12V DC/AC
- Output:1,5Watt (21 LED)

LED

CE

Item No.	Outer Size (L x W)	Height
200691-1LED	130x130mm	62mm

Item No. 200690




- Max:20Watt
- Bulb:JC 12V, G4.0 Halogen
- Transparent Glass

CE

Item No.	Outer Size (L x W)	Height
200690	180x180mm	62mm

Item No. 200691




- Max:20Watt
- Bulb:JC 12V, G4.0 Halogen
- Transparent Glass



Item No.	Outer Size (L x W)	Height
200691	150x150mm	62mm

Item No. 200690-2




- Max:20Watt
- Bulb:JC 12V,G4.0 Halogen
- Transparent Glass



Item No.	Outer Size (L x W)	Height
200690-2	130x130mm	62mm

Item No. 200690-2X2



- Max:20Watt X 2
- Bulb:JC 12V,G4.0 Halogen
- Transparent Glass



Item No.	Outer Size (L x W)	Height
200690-2X2	445x132mm	62mm

Item No. 200690-2X3



- Max:20Watt X 3
- Bulb:JC 12V,G4.0 Halogen
- Transparent Glass



Item No.	Outer Size (L x W)	Height
200690-2X3	600x132mm	62mm

Item No. 200598-2



Item No.200598-2

- Max:20Watt
- Bulb:JC 12V G4.0, Halogen
- Colour:Chrome, White, Black, Golden, Satin chrome, Satin golden, Satin Nickel
- Material:Thermo-plastic




Item No.	Outer Diameter	Height	
200598-2	Ø70mm	20mm	Surface

Item No. 200598-1



- Max:20Watt
- Bulb:JC 12V G4.0 , Halogen
- Material:Thermo-plastic



Item No.	Outer Diameter	Height	
200598-1	Ø70mm	19mm	Ø56mm

Item No. 200598-2B



- Max:20Watt
- Bulb:JC 12V G4.0, Halogen
- Colour:Chrome, White, Black, Golden, Satin chrome, Satin golden, Stainless brush, Golden brush
- Material:Thermo-plastic




Item No.	Outer Diameter	Height
200598-2B	Ø70mm	20mm

Item No. 200598-1B



- Max:20Watt
- Bulb:JC 12V G4.0, Halogen
- Colour:Chrome, White, Black, Golden, Satin chrome, Satin golden, Stainless brush, Golden brush
- Material:Thermo-plastic



Item No.	Outer Diameter	Height	
200598-1B	Ø70mm	19mm	Ø56mm

Item No. 200598-3



- With rocker switch (BJB)
- Max:20Watt
- Bulb:JC 12V G4.0, Halogen
- Colour:Chrome, White, Black, Golden,Satin chrome, Satin golden,
- Stainless brush, Golden brush
- Material:Thermo-plastic




Item No.	Length	Height	Width
200598-3	Ø119mm	25mm	70mm

Item No. 200575-1/-2



- Max:20Watt
- Bulb:JC 12V G4.0, Halogen
- Colour:Chrome, White, Black, Golden,Satin chrome, Satin golden,
- Stainless brush, Golden brush
- Material:iron




Item No.	Outer Diameter	Height	Light Type
200575-1	Ø65mm	20mm	Ø50mm
200575-2	Ø70mm	30mm	Surface

Item No. 200575-7



- Max:20Watt
- Bulb:JC 12V G4.0, Halogen
- Colour:Chrome, White, Black, Golden,Satin chrome, Satin golden, Satin Nickel
- Material:iron




Item No.200507-GA

Item No. 200599-1/-2



- **Item No.200599-1 / 200599-2**
- Max:10Watt
- Bulb:JC 12V G4.0, Halogen
- Colour:Chrome, White, Black, Golden,Satin chrome, Satin golden, Satin Nickel
- Material:ABS



Item No.	Outer Diameter	Height	Light Type
200599-1	Ø70mm	22mm	Ø51mm
200599-2	Ø70mm	26mm	Surface

Item No. 200554



- Max:20Watt
- Bulb:JC 12V G4.0, Halogen
- Material:Iron and thermo-plastic



Item No.	Outer Size		Turning angle
200554	70mm	Ø62mm	30° Up-down

Item No. 200511



- Max:20Watt
- Bulb:JC 12V G4.0, Halogen
- Material:Iron and thermo-plastic



Item No.	Outer Diameter	
200511	Ø70mm	Ø55mm

Item No. 200507-E3



- Input:12V AC
- Bulb:JC G4.0 20W
- Material:Iron



Item No.	Outer Size(LxW)	
200507-E3	63x63mm	Ø50mm

Item No. 201554



- Input:12V AC
- Bulb:JC G4.0 20W
- Material:Iron



Item No.	Outer Size(LxW)	
201554	70x70mm	Ø62mm

Item No. 200673-1



- Max:20Watt
- Bulb:JC 12V G4.0, Halogen
- Colour:Chrome, White, Black, Golden,Satin chrome, Satin golden, Stainless brush, Golden brush
- Material:Steel and Thermo-plastic



Item No. 200674-1



- Max:20Watt
- Bulb:JC 12V G4.0, Halogen
- Colour:Chrome, White, Black, Golden,Satin chrome, Satin golden, Stainless brush, Golden brush
- Material:Steel



Item No. 200507-4



- Max:20Watt
- Bulb:JC 230V/12V G4.0, Halogen
- Colour:Chrome, White, Black, Golden,Satin chrome, Satin golden, Stainless brush, Golden brush
- Material:Steel



Item No. 200675



- Max:20Watt
- Bulb:JC 12V G4.0, Halogen
- Colour:Chrome, White, Black, Golden,Satin chrome, Satin golden, Stainless brush, Golden brush
- Material:Steel and Aluminum



Item No.	Outer Diameter	Height	
200673-1	Ø67mm	22mm	Ø55mm

Item No.	Outer Diameter	Height	
200674-1	Ø72mm	20mm	Ø56mm


Item No.	Outer Diameter	Height	
200507-4	Ø73mm	20mm	Ø52mm

Item No.	Outer Diameter	Height
200675	Ø84mm	30mm

Item No. 200507-1



- Max:20Watt
- Bulb:JC 12Volt,G4.0,Halogen
- Material:Iron



Item No.200507-G

Item No.	Outer Diameter	Height	
200507-1	Ø73mm	20mm	Ø52mm

Item No. 200306-507




- Max:20Watt
- Bulb:JC 12Volt,G4.0,Halogen
- Material:Stainless Steel



Item No.	Outer Size (L x W)	Height
200306-507	152x130mm	45mm

Item No. 200306-507S




- Max:20Watt
- Bulb:JC 12Volt,G4.0,Halogen
- Material:Stainless Steel
- With Switch



Item No.	Outer Size (L x W)	Height
200306-507S	152x130mm	45mm

Item No. 200306-507G




- Max:20Watt
- Bulb:JC 12Volt,G4.0,Halogen
- Material:Stainless Steel and Glass



Item No.	Outer Size (L x W)	Height
200306-507G	152x130mm	55mm

Item No. 200507-2



- Max:20Watt
- Bulb:JC 12V G4.0, Halogen
- Colour:Chrome, White, Black, Golden, Satin chrome, Satin golden, Satin Nickel, Stainless brush, Golden brush
- Material:Stainless steel



Item No.	Outer Size (L x W)	Height
200507-2	140x83mm	53mm

Item No. 200507-2G




- Max:20Watt
- Bulb:JC 12Volt,G4.0,Halogen
- Material:Stainless Steel and Glass



Item No.	Outer Size (L x W)	Height
200507-2G	140 x 83mm	63mm

Item No. 200530-2




- Max:20Watt
- Bulb:JC 12Volt,G4.0,Halogen
- Material:Stainless Steel and Glass



Item No.	Outer Size (L x W)	Height
200530-2	95x95mm	75mm

Item No. 200530-1



- Max:20Watt
- Bulb:JC 12Volt,G4.0,Halogen
- Material:Stainless Steel and Glass



Item No.	Outer Size (L x W)	Height
200530-1	150x150mm	110mm

Item No. 200306-2S




- Max:20Watt X 2
- Bulb:JC 12Volt,G4.0,Halogen
- Material:Stainless Steel
- With rocker switch (BJB)




Item No.	Outer Size (L x W)	Heig
200306-2S	440x180mm	72mm

Item No. 201303




Operating Voltage:220~240V 50Hz
Max:2x20Watt
Lamps:JC-20W/G4 halogen lamps switch,
1.5-1.8m power cord with plug
Housing Finish:White, or optional colours




Item No.201304

Operating Voltage:220~240V 50Hz
Max:3x20Watt
Lamps:JC-20W/G4 halogen lamp
Integral switch, 1.5-1.8m power cord with plug
Housing Finish:White, or optional colours



Item No.201306


Operating Voltage:220~240V 50Hz
Max:5x20Watt
Lamp Specifications:-Type:JC-20W/G4 halogen lamps.
Integral switch, 1.5-1.8m power cord with plug
Housing Finish:White, or optional colours






Item No.201310A

Operating Voltage:220~240V 50Hz
Max:2x20W
Lamps:JC-20W/G4 halogen lamps
Integral switch, 1.5-1.8m power cord with plug




Item No.201310B

Operating Voltage:220~240V 50Hz
Max:3x20W
Lamps:JC-20W/G4 halogen lamps
Integral switch, 1.5-1.8m power cord with plug




Item No.201309A

Operating Voltage:220~240V 50Hz
Max.Watt:2x20W
Lamps:JC-20W/G4 halogen lamps
Integral switch, 1.5-1.8m power cord with plug



Item No.201309B

Operating Voltage:220~240V 50Hz
Max:3x20W
Lamps:JC-20W/G4 halogen lamps
Integral switch, 1.5-1.8m power cord with plug




Item No.211301




- 12xLED(SMD)
- Max:1.8W
- Input:230V AC
- Material:Plastic

Item NO.	Total Wattage	Length(mm)
211301	1.8W	402




Item No.211302




- 6xLED(SMD)
- Max:1.8W
- Input:230V AC
- Material:Plastic

Item NO.	Total Wattage	Length(mm)
211302	3W	410




Item No.211302



Item NO.	Total Wattage	Length(mm)(L)
211303	3x1W	426
211304	4x1W	546

- Input:230V AC
- Material:Plastic



Item No.202727





Item No.202728



Item No.	Total Wattage	Length(mm)
202728	2x1W	273
202727	4x1W	543


- Input:230V AC
- Material:Aluminum



Item No.202729




- Max:2.7W
- Input:230V AC
- Material:Plastic
- 47 x LEDS




Item No.202730




- Max:3.6W
- Input:230V AC
- Material:Plastic
- 65 x LEDS



Item No.202731



- Max:6.8W
- Input:230V AC
- Material:Plastic
- 121 x LEDS




Item No.200902-LED




- Wardrobe LED Light
- Max:0.9W
- Input:230V AC
- Material:Aluminum
- Length:1200mm Max

Item No. 200683



Max:20Watt
Bulb:MR 11, 12V Halogen

Item No. 200684-C




Max:10Watt
Bulb:JC 12V,G4.0 Halogen Outer Size(LxW):320x140mm

Item No. 200689



Max:10Watt
Bulb:JC 12V,G4.0 Halogen

Item No. 200685



Max:2x10Watt
Bulb:JC 12V,G4.0 Halogen

Item No. 200684




Max:20Watt
Bulb:JC 12V,G4.0 Halogen

Item No. 200688




Max:20Watt
Bulb:JC 12V,G4.0 Halogen

Item No. 200687




Max:2x10Watt
Bulb:JC 12V,G4.0 Halogen

Item No. 200686



Max:2x10Watt
Bulb:JC 12V,G4.0 Halogen

Item No. 200685-2F




Max:2x10Watt
Bulb:JC G4.0 12Volt, Halogen
LxWxH:450mmx80mmx40mm

Item No. 200534



Max:2x20Watt
Bulb:JC G4.0 12Volt, Halogen
LxH:300mmx210mm

Item No. 202804




Max:150Watt
Bulb:Rx7S 230V/250V 50Hz
Material:Aluminum

Item No. 202801




2xMax:40Watt
Bulb:G9,230V/250V 50Hz
Material:Zinc Alloyed IP44

Item No. 200685-2R



Max:2x10Watt
Bulb:JC G4.0 12Volt, Halogen
LxWxH:450mmx80mmx40mm

Item No. 202802



2xMax:40Watt
Bulb:G9,230V/250V 50Hz
Material:Iron

Item No. 202803



2xMax:40Watt
Bulb:G9,230V/250V 50Hz
Material:Iron

Item No. 202901



Max:40Watt
Bulb:G9,230V/250V 50Hz
Material:Iron

>> LED Picture Lightings

Item No. 202714





- Input:5V DC
- Output:1x3W LED
- Material:Iron




Item No. 202724





- 1-3W LED 2.5VA
- AC 12V/110V/230V



Item No. 202751





- Max:1-3W
- Input:110/230V AC
- Material:Aluminum



Item No. 202701



- Max:1-3W
- Input:110/230V AC
- Material:Aluminum




>> LED Picture Lightings

Item No. **202702-B**





- Max:1x3W
- Input:230V AC
- Material:Aluminum



Item No. **202702**




- Max:1x3W
- Input:12V/AC/DC
- Material:Aluminum




Item No. **202723**



- IP65
- 3x1W LED 110/230V AC
- Material:Aluminum



Item No. 200306-507LED





- Max:1,5Watt
- Bulb:12V AC/DC ,21 PCS of LED
- Material:Stainless Steel



Item No. 200507-GLED



- Max:1.5Watt
- Bulb:12V AC/DC, 21 Pcs of LED
- Material:Iron



Item No. 200507-LED



- Max:1.5Watt
- Bulb:12V AC/DC, 21 Pcs of LED
- Material:Iron



Item No. 202707



- Max:1.5Watt
- Bulb:12V AC/DC, 21 Pcs of LED
- Material:Iron



Item No.	Outer Size (L x W)	Height
200306-507LED	152x130mm	45mm

Item No.	Outer Size	
200507-LED	Ø73mm	Ø52mm

Item No.	Outer Size	
202707	Ø73mm	Ø52mm


Item No. 202742



- Max:1-3Watt 1xLED
- Input:12V AC/DC or 350mA/700mA



Item No. 202703



- Max:1-3Watt 1xLED
- Input:12V AC/DC or 350mA/700mA



Item No. 200554-SLED



- Max:1-3Watt 1xLED
- Input:12V AC/DC or 350mA/700mA



Item No. 200511-LED



- Max:1-3Watt 1xLED
- Input:12V AC/DC or 350mA/700mA



Item No.	Outer Size	
202742	Ø73mm	Ø52mm

Item No.	Outer Size	
200554-SLED	Ø70mm	Ø62mm

Item No.	Outer Size	
200511-LED	Ø70mm	Ø55mm

Item No. 200598-LED



Item No. 200598-1-LED



Item No. 202715



Item No. 202711



Item NO.200598-LED

- Max:1-3Watt 1xLED
- Input:12V AC/DC

Item NO.200598-1B-LED

- Input:12V AC/DC
- Output:1-3W LED
- Material:Thermo-plastic



Item NO.200598-1B-LED



Item No.	Outer Size	
200598-LED	Ø70mm	Ø56mm

- Input:12V DC/AC
- Output:1.5W 21LED
- Material:Plastic



Item No.	Outer Size	
200598-1-LED	Ø70mm	Ø56mm

- Input:5V DC 700mA
- Output:1x3W LED
- Material:Stainless Steel



Item No.	Outer Size	
202715	Ø44mm	Ø37.5mm

- Input:5V DC 700mA
- Output:1x3W LED
- Material:Stainless Steel



Item No.	Outer Size	Height
202711	Ø31mm	31mm

Item No. 202712



- Input:10.5V DC 350mA
- Output:3x1W LED
- Material:Stainless Steel



Item No.	Outer Size (L x W)	Height
202712	Ø50mm	30mm

Item No. 202718



- Input:5V DC 700mA
- Output:1x3W LED
- Material:Stainless Steel



Item No.	Outer Size	
202718	61x61mm	50mm

Item No. 202716



- Input:7.2V DC 700mA
- Output:3W LED
- Material:Stainless Steel



Item No.	Outer Size	
202716	Ø40mm	Ø33mm

Item No. 202717



- Input:7.2V DC 700mA
- Output:3W LED
- Material:Stainless Steel





Item No.	Outer Size	
202717	61mm	50mm

Item No. **212003**



CE





350mA	1W	1 LED
Alum		38°

Item No. **212004**




CE





350mA	1W	1 LED
Alum		38°

Item No. **212005**



CE





350mA	1W	1 LED
Alum		90°

Item No. **212006**



CE




350mA	1W	1 LED
Alum		90°

Item No. **202722**




- 1W LED 12V AC 2.5VA
- Cut Out: Ø45mm




Item No. **202720**




- 1W LED 12V AC 2.5VA
- Cut Out: Ø47mm



Item No. **202721**



- 1W LED 12V AC 2.5VA
- Cut Out: Ø35mm




Item No. 202721-K3



Item No. **202732**





- Max: 1x3W LED
- Input: 700mA




Item No. 202732-B

Item No.	Outer Size	
202732	Ø65mm	Ø58mm


Item No. **212007**




CE



Item No. **202733**




CE




Item No. **200866**



• Max:0.5Watt LED





CE





Item No.200866-K6

Item No. **202752**




CE



Item No.202752-K6



Item No. **202725**



Item No. **202744**





- Max:1x1Watt LED
- Input:350mA




Item No.202725-K2



- Max:1.2Watt LED
- Input:12V DC







Item No. **212001**



Item No. **212002**




Recessed Downlights



Item No. 202753




- Max:3x1Watt
- Input:230V AC
- Material:Aluminum



Item No. 202754




- Max:3x1Watt LED
- Input:230V AC
- Material:Aluminum



Item No. 202724



- Max:3x1Watt LED
- Input:230V AC
- Material:Zinc



Item No. 202719



- Input:10.5V DC or 350mA
- Output:3x1W LED
- Material:Stainless Steel



Item No.	Outer Size (L x W)	
202753	80x80mm	Ø65mm

Item No.	Outer Size	
202754	Ø80mm	Ø65mm

Item No.	Outer Diameter		Tarming Angle
202724	Ø82mm	Ø73mm	45°

Item No.	Outer Size	
202719	Ø79mm	Ø73mm

Item No. 202713




- Input:14Vatt DC or 350mA
- Output:4x1W LED
- Material:Stainless Steel



Item No. 202748




- Max:3x1Watt LED
- Input:230V AC
- Material:Zinc



Item No. 202750



- Max:3x3Watt LED
- Input:230V AC
- Material:Zinc



Item No. 202743



- Max:4x3Watt LED
- Input:230V AC
- Material:Zinc




Item No.	Outer Size	
202743	Ø130mm	Ø124mm

Item No. 202745



- Max:5x1Watt LED
- Input:230V AC
- Gimbal



Item No.	Outer Size	
202745	Ø120mm	Ø100mm

Item No. 202734



- Max:6x1Watt LED
- Input:230V AC
- Gimbal




Item No.	Outer Size	
202734	Ø135mm	Ø115mm

Item No. 202746



- Max:7x1Watt LED
- Input:230V AC
- Gimbal




Item No.	Outer Size	
202746	Ø138mm	Ø118mm

Item No. 202748



- Max:12x1Watt LED
- Input:230V AC
- Gimbal



Item No.	Outer Size	
202748	Ø150mm	Ø125mm

Item No. 200703-1



- Max:1x50W
- Bulb:MR16 G5.3 12V or GU10 Halogen
- Material:Aluminum

Outer Size (L x W)		Turning angle
99x99mm	Ø85mm	Up and down 45°

Item No. 200703-2



- Max:2x50W
- Bulb:MR16 G5.3 12V or GU10 Halogen
- Material:Aluminum

Outer Size (L x W)		Turning angle
198x99mm	2xØ85mm	Up and down 45°

Item No. 200703-3



- Max:3x50W
- Bulb:MR16 G5.3 12V or GU10 Halogen
- Material:Aluminum

Outer Size (L x W)		Turning angle
297x99mm	3xØ85mm	Up and down 45°

Item No. 200703-4F



- Max:4x50W
- Bulb:MR16 G5.3 12V or GU10 Halogen
- Material:Aluminum

Outer Size (L x W)		Turning angle
198x198mm	2xØ85mmx2	Up and down 45°


Item No. 200703-4




- Max:4x50W
- Bulb:MR16 G5.3 12V or GU10 Halogen
- Material:Aluminum

Outer Size (L x W)		Turning angle
396x99mm	4xØ85mm	Up and down 45°

Item No. **200556**




Item No. **200538**



Item No. **200381**



Item No. **200551**



Connecting Bracket



D



E



F

- Max:50Watt
- Bulb:MR 16 ,G5.3 12V or GU10 ,230V Halogen
- Material:Alloy Zinc



Item No.	Outer Size (L x W)		Turning angle	
200556	83x83mm	Ø75mm	Up and down	30°

- Max:35Watt
- Bulb:MR 11 ,12V Halogen
- Material:Alloy Zinc



Item No.	Outer Size (L x W)		Turning angle	
200538	63x63mm	Ø58mm	Up and down	30°

- Max:35Watt
- Bulb:MR 11 ,12V Halogen
- Material:Square Bezel - **Iron**
Gimbal Ring -Alloy zinc

Item No.	Outer Size (L x W)		Turning angle	
200381	83x83mm	Ø75mm	Up and down	30°

- Max:50Watt
- Bulb:JC 12V G4.0, Halogen
- Material:Alloy Zinc



Item No.	Outer Diameter	Height	
200494	Ø25mm	30mm	Ø20mm

Item No.	Outer Diameter		
200551	Ø52mm	Ø27mm	

Item No. 200552



- Max:50Watt
- Bulb:MR 16,G5.3 12V or GU10 ,230V Halogen
- Material:Alloy Zinc



Item No.	Outer Diameter	
200552	Ø88mm	Ø72mm

Item No. 200555



- Max:50Watt
- Bulb:MR 16, 12V G5.3 or GU10 230V, Halogen
- Material:Alloy Zinc




Item No.	Outer Diameter	
200555	Ø92mm	Ø75mm

Item No. 200520-G




- Max:50Watt
- Bulb:MR 16, 12V G5.3 or GU10 230V, Halogen
- Material:Aluminum



Item No. 200520



- Max:50Watt
- Bulb:MR 16, 12V G5.3 or GU10 230V, Halogen
- Material:Aluminum



Item No. 200301



Item No. 200380



Item No. 200385



Item No. 200620



- Max:50Watt
- Bulb:MR 16, 12V G5.3 or GU10 230V, Halogen
- Material:Alloy Zinc

CE

Item No.	Outer Diameter	
200301	Ø93mm	Ø83mm

- Max:50Watt
- Bulb:MR 16, 12V G5.3 or GU10 230V, Halogen
- Material:Round Bezel- **Iron**
Gimbal Ring -Aluminum

CE

Item No.	Outer Diameter	
200380	Ø93mm	Ø83mm

- Max:50Watt
- Bulb:MR 16, 12V G5.3 or GU10 230V, Halogen
- Material:Alloy Zinc

CE

Item No.	Outer Diameter		Turning Angle
200385	Ø80mm	Ø67mm	0°

- Max:35Watt
- Bulb:MR 11, 12V Halogen
- Material:Alloy Zinc



Gimbal

Item No.	Outer Diameter	Height	
200620-G	Ø62mm	35mm	Ø58mm

Item No.	Outer Diameter	Height	
200620	Ø55mm	20mm	Ø45mm

Item No. 200562



- Max:50Watt
- Bulb:JC 12Volt G4.0 or JCD 230Volt ,Halogen
- Material:Iron

CE

Item No. 200558



- Max:50Watt
- Bulb:MR 16, 12V G5.3 or GU10 230V, Halogen
- Material:Alloy Zinc

CE

Item No. 200559



- Max:50Watt
- Bulb:MR 16, 12V G5.3 or GU10 230V, Halogen
- Material:Alloy Zinc
- IP44

CE

Item No. 200563



- Max:50Watt
- Bulb:MR 16, 12V G5.3 or GU10 230V, Halogen
- Material:Alloy Aluminum

CE

Item No.	Outer Diameter	Turning angle	
200562	Ø94mm	30° Up-down	Ø62mm

Item No.	Outer Diameter		Turning angle
200558	Ø88mm	Ø79mm	30° Up-down

Item No.	Outer Diameter	
200559	Ø119mm	Ø105mm

Item No.	Outer Diameter		Turning angle
200563	Ø106mm	Ø96mm	95° Up-down

Item No. 200586




- Max:50Watt
- Bulb:MR 16V Halogen Dichroic lamp 12Volt, G5.3 or GU10
- Colour:Chrome, White, Black, Golden,Satin chrome, Satin golden, Stainless brush, Golden brush
- Material:Steel



Item No.	Outer Diameter		Turning angle	
200586	Ø80mm	Ø53mm	Up and down	N/A
			Horizontal	N/A

Item No. 200587



- Max:50Watt
- Bulb:MR 16V Halogen Dichroic lamp 12Volt, G5.3 or GU10
- Colour:Chrome, White, Black, Golden,Satin chrome, Satin golden, Stainless brush, Golden brush
- Material:Steel



Item No.	Outer Diameter		Turning angle	
200587	Ø104mm	Ø75mm	Up and down	45°
			Horizontal	360°

Colour ▶



White



Black



Metallic Grey



Satin Golden

- Max:50Watt
- Bulb:MR 16V Halogen Dichroic lamp 12Volt, G5.3 or GU10
- Colour:Chrome, White, Black, Golden,Satin chrome, Satin golden, Stainless brush, Golden brush
- Material:Alloy Zinc



Item No.	Outer Diameter		Turning angle	
200522	Ø78mm	Ø61mm	Up and down	N/A
			Horizontal	N/A


Colour ▶



Golden



Satin Chrome



Stainless Brush



Chrome

- Max:50Watt
- Bulb:MR 16V Halogen Dichroic lamp 12Volt, G5.3 or GU10
- Colour:Chrome, White, Black, Golden,Satin chrome, Satin golden, Stainless brush, Golden brush
- Material:Alloy Zinc




Item No.	Outer Diameter		Turning angle	
200523	Ø82mm	Ø73mm	Up and down	45°
			Horizontal	N/A

Item No. 200522



Item No. 200523



Item No. 200709



- Max:50Watt
- Bulb:MR 16, 12V G5.3 or GU10, 230V, Halogen
- Colour:Chrome, White, Black, Golden,Satin chrome, Satin golden,
- Stainless brush, Golden brush
- Material:Steel



Item No.	Outer Diameter	Turning Angle	
200709	Ø88mm	40° up-down	Ø77mm

Item No. 200564



- Max:50Watt
- Bulb:MR 16, 12V G5.3 or GU10 230V, Halogen
- Material:Alloy Zinc



Item No.	Outer Diameter		Turning angle
200564	Ø104mm	Ø77mm	30° Up-down

Item No. 200681-3R



- Max:50Watt
- Bulb:MR 16, 12V G5.3 or GU10 230V, Halogen
- Material:Iron



Item No.	Outer Diameter		Turning angle
200681-3R	Ø87mm	Ø80mm	45° Up-down

Item No. 200681-3



- Max:50Watt
- Bulb:MR 16, 12V G5.3 or GU10 230V, Halogen
- Material:Iron



Item No.	Outer Size		Turning angle
200681-3	90x90mm	67x67mm	45° Up-down

Item No. 200681



Item No. 200682



- Max:50Watt
- Bulb:MR 16 12V. G5.3 or GU10 230V Halogen
- Colour:Chrome, White, Black, Golden,Satin chrome, Satin golden, Stainless brush, Golden brush
- Material:Steel



Item No.	Outer Size	
200681	90x90mm	68x68mm
200682	80x80mm	68x68mm

Item No. 200539



- Max:35Watt
- Bulb:MR 11 12Volt Halogen
- Material:Iron



Item No.	Outer Size (L x W)	
200539	62x62mm	48x48mm

200681-2



- Max:50Watt
- Bulb:MR 16 12V G5.3 or GU10 230V Halogen
- Material:Iron



Item No.	Outer Size (L x W)	
200681-2	100x100mm	73x73mm

Item No. 200679




- Max:50Watt
- Bulb:JC 12V, G4.0, MR.16 12V. G5.3 or GU10 230V Halogen
- Colour:Chrome, White, Black, Golden,Satin chrome, Satin golden, Stainless brush, Golden brush
- Material:Die-casting Aluminum



Item No.	Outer Size	
200679	90x90mm	72x72mm

Item No. 200678-1



- Max:50Watt
- Bulb:JC 12V or JC 230V, G4.0 Halogen
- Colour:Chrome, White, Black, Golden,Satin chrome, Satin gold-en, Stainless brush, Golden brush
- Material:Die-casting Aluminum



Item No.	Outer Size	
200678-1	80x80mm	65x65mm

Item No. 200678-2




- Max:50Watt
- Bulb:JC 12V or JC 230V, G4.0 Halogen
- Colour:Chrome, White, Black, Golden,Satin chrome, Satin golden, Stainless brush, Golden brush
- Material:Die-casting Aluminum



Item No.	Outer Size	
200678-2	80x80mm	65x65mm

Item No. 200678-3



- Max:50Watt
- Bulb:JC 12V or JC 230V,G4.0 Halogen
- Material:Die-casting Aluminum



Item No.	Outer Size (L x W)	
200678-3	80x80mm	65x65mm

Item No. 200708




- Max:35Watt
- Bulb:JC 12V G4.0 Halogen lamps
- Material:Aluminum



Item No.	L x W x H	
200708	81x81x30mm	68x68mm

Item No. 200722



- Max:50Watt
- Bulb:MR 16, 12V G5.3 or GU10 230V,Halogen
- Material:Iron

Outer Diameter	Turning angle	
Ø88mm	30° Up-down	Ø75mm

Item No. 200536



- Max:60Watt
- Bulb:E27 R63
- Material:Iron

Item No.	Outer Diameter	
200536	Ø105mm	Ø72mm


Item No. 200609



- Max:60Watt
- Bulb:E27/B22/R63
- Colour: Chrome, White, Black, Golden,Satin chrome, Satin golden, Stainless brush, Golden brush
- Material: Steel

Outer Diameter		Turning angle	
Ø124mm	Ø84mm	Up and down	N/A

Item No. 200537



- Max:40Watt
- Bulb:E27 R50
- Material:Iron

Item No.	Outer Diameter	
200537	Ø81mm	Ø56mm

Item No. 200535



- Max:80Watt
- Bulb:E27 R80
- Material:Iron

Item No.	Outer Diameter	
200535	Ø130mm	Ø85mm



Item No. 200610



- Max:40Watt
- Bulb:E27/B22/R50
- Colour: Chrome, White, Black, Golden,Satin chrome, Satin golden, Stainless brush, Golden brush
- Material: Steel

Outer Diameter		Turning angle	
Ø80mm	Ø55mm	Up and down	N/A
		Horizontal	N/A

Item No. 212009




CE



Item No.212009-K3

Item No. 200867



- Max:0.5Watt LEDx5
- INput:12V AC/DC


CE



Item No.200867-K3


Item No.	Outer Size	
200867	Ø40mm	Ø34mm

Item No. 212008



Item No.212008-K5

Item No. 212011





CE




Item No.212011-K5

Item No. 212015




Item No.212015-K5

Item No. 212016





Item No.212016-K3

Item No. 212010





Item No.212010-K3




Item No. 213105






Item No. **213101**





Item No. **213102**



Item No. **213103**




Item No. **213104**



Item No.213104-K3



Item No. 213106



230V	0.5W	Ø5mm LED	6 LEDs			
IP68			Alum.			

CE



Item No. 213107



230V	0.5W	Ø5mm LED	6 LEDs			
IP68			Alum.			


CE

Item No. 203439



12V	0.8W	8 LEDs	Ø5mm LED
		IP68	
	Alum.		


CE



Item No.203439-B

Item No.203439-C

Item No. 202747



12V	0.8W	9 LEDs	SMD LED
		IP68	
	Alum.		



CE





Item No.	Rating power	Length(L)	Qty of diodes	LED type
202759-9	3W	200mm	9	SMD
202759-24	6W	500mm	24	SMD
202759-48	11W	1000mm	48	SMD

Item No.305924



- LED Driver
- Input:110-230V AC
- Output:24V AC/DC
- Max:24W




- Light:RGB/White/Blue/Yellow/Red



- Light:White/Blue/Yellow/Red



Item No. **202756**



- Flexible LED sticker for indoors
- Input: 12V DC
- Light: RGB/White/Blue/Yellow/Red




Item No.	Rating power	Width(W)	Qty of diodes	LED type
202756-A	2.4W	10mm	60	5050(SMD)
202756-B	1.2W	8mm	30	3528(SMD)

Item No. **202757**



- Flexible LED sticker
- Input: 12V DC
- Light: RGB/White/Blue/Yellow/Red
- IP54




Item No.	Rating power	Width(W)	Qty of diodes	LED type
202757-A	2.4W	12mm	60	5050(SMD)
202757-B	1.2W	10mm	30	3528(SMD)

Item No. **202757-2**



- Flexible LED sticker
- Input: 12V DC
- Light: RGB/White/Blue/Yellow/Red
- IP54







Item No.	Rating power	Width(W)	Qty of diodes	LED type
202757-2A	2.4W	12mm	60	5050(SMD)
202757-2B	1.2W	10mm	30	3528(SMD)

Item No. **205050**



LED Signal board






Item No.200901

Operating Voltage:110~230V 50-60Hz


Built-in fuse and electronic ballast

For T5/G5 fluorescent lamps

Materials:aluminium



Total Wattage	Length(mm)	Qtyy(pcs/ctn)	Packing Size(cm)	G.W.(kg/ctn)
8W	815	10	83x23x22.5	12
13W	1043	10	106x23x22.5	14



Item No.200902


Operating Voltage:110~230V 50-60Hz

Built-in fuse and electronic ballast



Lamp:T5/G5 fluorescent tube

Materials:aluminium

Suitable to wardrobe



Total Wattage	Length(mm)	Qtyy(pcs/ctn)	Packing Size(cm)	G.W.(kg/ctn)
8W	705	10	81x21x24.5	10
13W	933	10	104x21x24.5	12




Item No.200905

Operating Voltage:220-240/50Hz

Built-in electronic ballast

For T5/G5 8W/13W fluorescent lamps




Total Wattage	Length(mm)	Qtyy(pcs/ctn)	Packing Size(cm)	G.W.(kg/ctn)
8W	580	12	59.5x30x45.5	12.5
13W	740	12	87x30x45.5	16

Item No.200696-B



Lamps:Fluorescent tubes,T5/G5,
220-240V ,50Hz AC
With connecting and power cords,
built-in electronic ballast
Maximum linkable with:10pcs

Output Wattage	Dimension (AxBxC)
8W	340x70x20
13W	560x70x20




Item No.201249




Operating Voltage:220~240V 50Hz
Built-in electronic ballast
For T5/G5 fluoresscent tubes
Integral switch and power cord



Output Wattage	Length(L)
8W	328mm
13W	556mm
21W	889mm
28W	1189mm




Item No.201251



Operating Voltage:220~240V 50Hz
Built-in electronic ballast
For T5/G5 fluoresscent tubes
Integral switch and power cord



Output Wattage	Length(L)
8W	330mm
13W	559mm
14W	591mm
21W	897mm
28W	1191mm




Item No.201252



Operating Voltage:220~240V 50Hz
Built-in electronic ballast
For T5/G5 fluoresscent tubes
Integral switch and power cord



Output Wattage	Length(L)
8W	276mm
13W	354mm
14W	582mm
21W	913mm
28W	1213mm




Item No.200975



Lamps:Fluorescent tubes,T5/G5,
220-240V ,50Hz AC
With connecting and power cords,
built-in electronic ballast
Integral switch and power cord

Output Wattage	Dimension (L)
8W	353mm
13W	581mm
21W	913mm
28W	1213mm





Item No.201408




Lamps:Fluorescent tubes,T5/G5,
220-240V ,50Hz AC
With connecting and power cords,
built-in electronic ballast
Integral switch and power cord

Output Wattage	Dimension (L)
8W	450mm
13W	660mm





Item No.201006




Lamps:Fluorescent tubes,T5/G5,
220-240V ,50Hz AC
With connecting and power cords,
built-in electronic ballast
Integral switch and power cord

Output Wattage	Dimension (L)
8W	450mm
13W	680mm





Item No.201002



Lamps:Fluorescent tubes,T5/G5,
220-240V ,50Hz AC
With connecting and power cords,
built-in electronic ballast
Integral switch and power cord

Output Wattage	Dimension (L)
8W	330mm
13W	558mm
14W	590mm
21W	888mm





Item No.200616

Electronic striplight, C/W tube,T4/G5
power cord,with or without switch,
with or without diffuser and
connector cable.
Maximum linkable with:10pcs

Output Wattage	Dimension (AxBxC)
6W	277x44x22mm
8W	397x44x22mm
12W	427x44x22mm
16W	525x44x22mm
20W	622x60x35mm
24W	711x60x35mm
30W	823x60x35mm



Item No.200694

Lamps:Fluorescent tubes,T5/G5,
220-240V,50Hz AC
With connecting and power cords,
built-in electronic ballast
Maximum linkable with:10pcs

Output Wattage	Dimension (AxBxC)
6W	270x44x28mm
8W	345x44x28mm
13W	570x44x28mm
21W	910x44x28mm
28W	1210x44x28mm
35W	1410x44x28mm




Item No.201110



Lamps: Fluorescent tubes, T5/G5,
220-240V, 50Hz AC
With connecting and power cords,
built-in electronic ballast
Maximum linkable with: 10pcs

Output Wattage	Dimension (AxBxC)
8W	388x45x24mm
13W	617x45x24mm




Item No.201111




Lamps: Fluorescent tubes, T5/G5,
220-240V, 50Hz AC
With connecting and power cords,
built-in electronic ballast
Maximum linkable with: 10pcs

Output Wattage	Dimension (AxBxC)
8W	368x45x24mm
13W	598x45x24mm




Item No.201112



Lamps: Fluorescent tubes, T5/G5,
220-240V, 50Hz AC
With connecting and power cords,
built-in electronic ballast
Maximum linkable with: 10pcs

Output Wattage	Dimension (AxBxC)
8W	349x44x22mm
13W	578x44x22mm
14W	610x44x22mm
21W	910x44x22mm
28W	1210x44x22mm




Item No.201113



Lamps: Fluorescent tubes, T5/G5,
220-240V, 50Hz AC
With connecting and power cords,
built-in electronic ballast
Maximum linkable with: 10pcs

Output Wattage	Dimension (AxBxC)
6W	247x44x22mm
8W	323x44x22mm
13W	552x44x22mm
14W	584x44x22mm
21W	884x44x22mm
28W	1184x44x22mm





Item No.201210

Operating Voltage:220~240V 50Hz

Built-in electronic ballast

For T5/G5 fluorescent tubes

Integral switch



Output Wattage

Length(L)

8W	374mm
13W	602mm
21W	932mm
28W	1232mm



Item No.201249

Operating Voltage:220~240V 50Hz

Built-in electronic ballast

For T5/G5 fluorescent tubes


Integral switch and power cord



Output Wattage

Length(L)

13W	605mm
-----	-------




Item No.201211

Operating Voltage:220~240V 50Hz

Built-in electronic ballast

For T5/G5 fluorescent tubes


Integral switch



Output Wattage

Length(L)

8W	449mm
13W	667mm
21W	1007mm
28W	1307mm



Item No.2078(8W/13W/14W/21W)



Item No.201221

Operating Voltage:220~240V 50Hz

Built-in electronic ballast

For T5/G5 fluorescent tubes

Integral switch




Output Wattage

Length(L)

8W	457mm
13W	685mm
14W	718mm
21W	1018mm



Item No.201213



Operating Voltage:220~240V 50Hz
Built-in electronic ballast
For T5/G5
fluorescent tubes
Integral switch



Output Wattage	Length(L)
8W	335mm
13W	564mm
14W	596mm
21W	896mm
28W	1196mm



Item No.201214




Operating Voltage:220~240V 50Hz
Built-in electronic ballast
For T5/G5
fluorescent tubes
Integral switch




Output Wattage	Length(L)
8W	334mm
13W	563mm
14W	595mm
21W	895mm
28W	1195mm



Item No.201215




Operating Voltage:220~240V 50Hz
Built-in electronic ballast
For T5/G5 fluorescent tubes
Integral switch



Output Wattage	Length(L)
2x8W	357mm
2x13W	585mm
2x14W	617mm
2x21W	917mm
2x28W	1217mm


Item No.201216



Operating Voltage:220~240V 50Hz
Built-in electronic ballast
For T5/G5
fluorescent tubes
Integral switch



Output Wattage	Length(L)
13W	590mm
14W	622mm
21W	922mm
28W	1222mm






Item No.200906

Operating Voltage: 220-240/50Hz
Built-in electronic ballast
For T8/G13 fluorescent tubes
Light-weight aluminium housing
with plastic cover

Output Wattage	Dimension (AxBxC)
10W	390x62x35mm
15W	490x62x35mm
18W	645x62x35mm
30W	950x62x35mm
36W	1255x62x35mm
58W	1560x62x35mm



Item No.200693-PL11


with built-in electronic ballast
Lamps: PL 11W/G23, 220-240V, 50Hz AC
Material: Aluminum housing
with plastic cover
Dimension(AxBxC): 410x80x60mm



Item No.200693

with built-in electronic ballast
Lamps: Fluorescent tubes,
T8/G13, 220-240V, 50Hz AC
Material: Aluminum housing with
plastic cover



Output Wattage	Dimension (AxBxC)
10W	500x80x60mm
15W	600x80x60mm
18W	750x80x60mm
30W	1060x80x60mm
36W	1360x80x60mm




Item No.201280

with built-in electronic ballast
Lamps: Fluorescent tubes,
T8/G13, 220-240V, 50Hz AC
Material: plastic


Output Wattage	Dimension (L)
10W	379mm
15W	485mm
18W	635mm
30W	942mm
36W	1247mm
58W	1547mm



Item No. 200430-2



Item No. 200430-3



Item No. 200430-4



Item No. 200430



Spring Types



A



B



C

- Max:2x26Watt
- Bulb:PLC /G24d3
- Colour:Chrome, White, Black, Golden,Satin chrome, Satin golden, Stainless brush, Golden brush
- Material:die-casting Aluminum



Item No.	Outer Diameter	
200430-2	Ø230mm	Ø215mm

- Max:2x26Watt
- Bulb:PLC /G24d3
- Colour:Chrome, White, Black, Golden,Satin chrome, Satin golden, Stainless brush, Golden brush
- Material:die-casting Aluminum



Item No.	Outer Diameter	
200430-3	Ø230mm	Ø215mm

- Max:2x26Watt
- Bulb:PLC /G24d3
- Colour:Chrome, White, Black, Golden,Satin chrome, Satin golden, Stainless brush, Golden brush
- Material:Iron



Item No.	Outer Diameter	
200430-4	Ø230mm	Ø215mm

- Max:2x26Watt
- Bulb:PLC G24d3
- Colour:Chrome, White, Black, Golden,Satin chrome, Satin golden, Stainless brush, Golden brush
- Material:Die-casting Aluminum



Item No.	Outer Diameter		Turning angle	
200430	Ø230mm	Ø215mm	Up and down	N/A
			Horizontal	N/A

Item No. 200637-2



- Max:13Watt X 2
- Bulb:PLC G24d1
- Material:Die-casting Aluminum



Item No.	Outer Diameter	
200637-2	Ø152mm	148mm

Item No. 200637



- Max:2x13Watt
- Bulb:PLC /G24d1
- Colour:Chrome, White, Black, Golden,Satin chrome, Satin golden, Stainless brush, Golden brush
- Material:die-casting Aluminum



Item No.	Outer Diameter	
200637	Ø152mm	Ø148mm

Item No. 200427



- Max:70Watt
- Bulb:Metal halide lamp
- 230V, 50Hz, Rx7S
- Colour:Chrome, White, Black, Golden,Satin chrome, Satin golden, Stainless brush, Golden brush
- Material:Die-casting Aluminum



Item No.	Outer Diameter		Turning angle	
200427	Ø152mm	Ø148mm	Up and down	N/A
			Horizontal	N/A

Item No. 200428



- Max:150Watt
- Bulb:Metal halide lamp
- 230V, 50Hz, Rx7S
- Colour:Chrome, White, Black, Golden,Satin chrome, Satin golden, Stainless brush, Golden brush
- Material:Die-casting Aluminum



Item No.	Outer Diameter		Turning angle	
200428	Ø230mm	Ø215mm	Up and down	N/A
			Horizontal	N/A

Item No. 200430-5



- Max:2x26Watt
- Bulb:PLC /G24d3
- Colour:Chrome, White, Black, Golden,Satin chrome, Satin golden, Stainless brush, Golden brush
- Material:die-casting Aluminum

CE

Item No.	Outer Diameter	
200430-5	Ø230mm	Ø215mm

Item No. 200804



- Max:2x26Watt
- Bulb:PLC /G24d3
- Colour:Chrome, White, Black, Golden,Satin chrome, Satin golden, Stainless brush, Golden brush
- Material:Iron

CE

Item No.	Outer Diameter	
200804	Ø240mm	Ø223mm

Item No. 200669




- Max:2x18Watt
- Bulb:PLC /G24d2
- Colour:Chrome, White, Black, Golden,Satin chrome, Satin golden, Stainless brush, Golden brush
- Material:Iron

CE

Item No.	Outer Diameter	
200669	Ø190mm	Ø174mm

Item No. 200667



- Max:1x13Watt
- Bulb:PLC /G24d1
- Colour:Chrome, White, Black, Golden,Satin chrome, Satin golden, Stainless brush, Golden brush
- Material:Iron


CE

Item No.	Outer Diameter	
200667	Ø143mm	Ø126mm

Item No. 200432-1




- Material: Die-Casting Aluminum
- Finish: Painting: White, Black, Silver, Grey
Electroplating: Chrome, Satin, Brass, AB, ETC
- Lampholder: G24d
2x13W
Compact Fluorescent
138mm



Item No. 200432-2




- Material: Die-Casting Aluminum
- Finish: Painting: White, Black, Silver, Grey
Electroplating: Chrome, Satin, Brass, AB, ETC
- Lampholder: G24d
2x13W/2x18W
Compact Fluorescent
168mm




Item No. 200432-3




- Material: Die-Casting Aluminum
- Finish: Painting: White, Black, Silver, Grey
Electroplating: Chrome, Satin, Brass, AB, ETC
- Lampholder: G24d
2x13W/1x18W/1x26W/2x13W/2x18W/2x26W
Compact Fluorescent
200mm



Item No. 200435-F



Item No. 200435-2F



Item NO.200435-F

- Max: 1xPLC18Watt
- Bulb: PLC G24d2
- Material: Zinc Alloyed

Outer Diameter(LxW)	Height	
130x130mm	180mm	Ø108mm

Item NO.200435-2F

- Max: 1xPLC13Watt
- Bulb: PLC G24d1
- Material: Zinc Alloyed

Outer Diameter(LxW)	Height	
130x130mm	160mm	Ø108mm

Item No. 200435




- Max:18Watt
- Bulb:PLC G24d2
- Material:Die-casting Aluminum

CE

Item No.	Outer Diameter	Height	
200435	Ø145mm	180mm	1Ø08mm

Item No. 200435-2



- Max:13Watt
- Bulb:PLC G24d1
- Material:Die-casting Aluminum

CE

Item No.	Outer Diameter	Height	
200435-2	Ø145mm	160mm	Ø108mm

Item No. 200593



- Max:50Watt
- Bulb:MR16 Halogen Dichroic lamp 12V, G5.3
- Colour: Chrome, White, Black, Golden,Satin chrome, Satin golden, Stainless brush, Golden brush
- Material:Die-casting Aluminum

CE

Item No.	Outer Diameter		Turning angle	
200593	Ø111mm	Ø96mm	Up and down	80°
			Horizontal	360°

Item No. 200594



- Max:70Watt
- Bulb:Metal halide lamp 230V, 50Hz, Rx7S
- Colour:Chrome, White, Black, Golden,Satin chrome, Satin golden, Stainless brush, Golden brush
- Material:Die-casting Aluminum

CE

Item No.	Outer Diameter		Turning angle	
200594	Ø245mm	Ø225mm	Up and down	80°
			Horizontal	360°

Item No. 200595



- Max:150Watt
- Bulb:Metal halide lamp
- 230V, 50Hz, R7S
- Colour:Chrome, White, Black, Golden,Satin chrome, Satin golden, Stainless brush, Golden brush
- Material:Die-casting Aluminum



Item No.	Outer Diameter		Turning angle	
200595	Ø235mm	Ø215mm	Up and down	80°
			Horizontal	N/A

Item No. 200596



- Max:70Watt
- Bulb:Single End Metal halide lamp
- 230V, 50Hz, G12
- Colour:Chrome, White, Black, Golden,Satin chrome, Satin golden, Stainless brush, Golden brush
- Material:Die-casting Aluminum



Item No.	Outer Diameter		Turning angle	
200596	Ø190mm	Ø178mm	Up and down	80°
			Horizontal	N/A

Item No. 200508



- Max:70Watt
- Bulb:Single End Metal halide lamp
- 230V, 50Hz, G12
- Colour:Chrome, White, Black, Golden,Satin chrome, Satin golden, Stainless brush, Golden brush
- Material:Die-casting Aluminum




Item No.	Outer Diameter		Turning angle	
200508	Ø171mm	Ø140mm	Up and down	80°
			Horizontal	360°

Item No. 200908




- Max:150Watt
- Bulb:Metal halide lamp
- 230V, 50Hz, Rx7S



Item No.	Outer Diameter		Turning angle	
200908	Ø292mm	Ø270mm	Up and down	80°
			Horizontal	360°


Item No. 200441



- Max:13Watt x 2
- Bulb:PLC/G24d1
- Material:Iron and Die-casting Aluminum

CE


Item No. 200440



- Max:26Watt x 2
- Bulb:PLC/G24d3
- Material:Iron and Die-casting Aluminum

CE

Item No. 200442



- Max:9Watt X 1
- Bulb:PLC/G24d
- Material:Iron and Die-casting Aluminum

CE

Item No. 200702



- Max:150Watt
- Bulb:Metal Halide lamp Rx7S
- Material:Die-casting Aluminum

CE


Item No.	Outer Size(LxW)	
200441	160x160mm	145x145mm

Item No.	Outer Size(LxW)	
200440	200x200mm	175x175mm

Item No.	Outer Size(LxW)	
200442	100x100mm	80x80mm

Item No.	Outer Size(LxWxH)	
200702	235x235x105mm	215x215mm

Item No. 200701



- Max:2x26Watt
- Bulb:PLC /G24d1
- Colour:Chrome, White, Black, Golden,Satin chrome, Satin golden, Stainless brush, Golden brush
- Material:die-casting Aluminum



Item No.	L x W x H	
200701	270x230x105mm	215x215mm

Item No. 200429-3



- Max:150Watt
- Bulb:Metal Halide lamp ,Rx7S
- Colour:Chrome, White, Black, Golden,Satin chrome, Satin golden, Stainless brush, Golden brush
- Material:die-casting Aluminum




Item No.	L x W x H	
200429-3	230x140x130mm	180x122mm



Item No. 200429



- Max:150Watt
- Bulb: Rx7S, Metal Halide lamp
- 230V,50Hz IP20
- Colour:Chrome, White, Black, Golden,Satin chrome, Satin golden, Stainless brush, Golden brush
- Material:Die-casting Aluminum




Item No.	Outer Size	
200429	235x145mm	220x130mm



Item No. 200604



- Max:150Watt
- Bulb:Rx7S, Metal Halide lamp
- 230V,50Hz IP20
- Colour:Chrome, White, Black, Golden,Satin chrome, Satin golden, Stainless brush, Golden brush
- Material:Die-casting Aluminum



Item No.	Outer Size	
200604	235x150mm	235x110mm



Item No. **200111.1**



Item No. **200111.2**



200111.1

- Max:50Watt
- Bulb:AR111 12Volt
- Material:Iron

200111.2

- Max:50Watt X 2
- Bulb:AR111 12Volt
- Material:Iron



Item No.	Outer Size	Height	
200111.1	208x208mm	160mm	170x170mm
200111.2	352x208mm	160mm	320x170mm

Item No. **200111.4F**



- Max:50Watt X 4
- Bulb:AR111 12Volt
- Material:Iron



Outer Size	Height	
352x352mm	160mm	320x320mm

Item No. **200111.3**



- Max:50Watt X 3
- Bulb:AR111 12Volt
- Material:Iron



Outer Size	Height	
496x208mm	160mm	465x170mm

Item No. **200111.4**



- Max:50Watt X 4
- Bulb:AR111 12Volt
- Material:Iron




Outer Size	Height	
640x208mm	160mm	605x170mm

Item No. 200111.1C




- Material: Steel Frame & Die-Casting Ring
- Finish: Painting: White, Black, Silver, Grey
- Lampholder: G12
1 x 70W/1x150W
220V-240V CDM-T
180 x 180mm



Item No. 200111.2C




- Material: Steel With Glass
- Finish: Painting: White, Black, Silver, Grey
- Lampholder: G12
220V-240V
2 x 70W/2 x 150W
CDM-T
330 x 180mm



Item No. 200111.3C




- Material: Steel With Glass
- Finish: Painting: White, Black, Silver, Grey
- Lampholder: G12
220V-240V
3 x 70W/3 x 150W
CDM-T
475 x 180mm




Item No. 200111.4CF




- Material: Steel With Glass
- Finish: Painting: White, Black, Silver, Grey
- Lampholder: G12
220V-240V
4 x 70W/4 x 150W
CDM-T
330 x 330mm



Item No. 200112.1




Item No. 200112.2




- Material: Steel Frame & Die-Casting Ring
- Finish: Painting: White, Black, Silver, Grey

Lampholder: G5.3/Gu10
12V 1 x 50W G5.3
220V-240V 1 x 50W Gu10
115 x 115mm



12V 2 x 50W G5.3
220V-240V 2 x 50W Gu10
220 x 115mm



Item No. 200112.3




Item No. 200112.4




- Material: Steel Frame & Die-Casting Ring
- Finish: Painting: White, Black, Silver, Grey

Lampholder: G5.3/Gu10
12V 3 x 50W G5.3
220V-240V 3 x 50W Gu10
325 x 115mm



12V 4 x 50W G5.3
220V-240V 4 x 50W Gu10
420 x 115mm




Item No. 200112.4L



- Material: Steel Frame & Die-Casting Ring
- Finish: Painting: White, Black, Silver, Grey

Lampholder: G5.3/Gu10
12V 4 x 50W G5.3
220V-240V 4 x 50W Gu10
420 x 115mm




Item No. 200112.5



- Material: Steel Frame & Die-Casting Ring
- Finish: Painting: White, Black, Silver, Grey


Lampholder: G5.3/Gu10
12V 5 x 50W G5.3
220V-240V 5 x 50W Gu10
520 x 115mm



Item No. 200707-2




- Max:150Watt
- Bulb:Metal Halide lamp Rx7S
- Material:Die-casting Aluminum



Item No. 200706-2




- Max:150Watt
- Bulb:Metal Halide lamp Rx7S
- Material:Die-casting Aluminum



Item No. 200733



- Max:150Watt
- Bulb:Metal Halide lamp Rx7S
- Material:Die-casting Aluminum




Item No. 200706


200707



- Max:150Watt
- Bulb:Metal Halide lamp Rx7S
- Material:die-casting Aluminum




200706




200707

Item No. 200736




- Operating Voltage:220-240V/50Hz
- Max:150Watt
- Lamp:Double Ended Metal Halide 70W,150W/R7s
- Material:Die-casting Aluminum



Item No. 200737




- Operating Voltage:220-240V/50Hz
- Max:150Watt
- Lamp:Double Ended Metal Halide 70W,150W/R7s
- HQI-T/HCI-T 70/150W G12
- Material:Die-casting Aluminum



Item No. 200738



- Operating Voltage:220-240V/50Hz
- Max:150Watt
- Lamp:Double Ended Metal Halide 70W,150W/R7s
- Material:Die-casting Aluminum




Item No.









Item No.214001




Item No.214002





Item No.214003






Item No.214004



Item No.214005







Item No.214006









Item No.214013-A





Item No.214013-B





Item No.214014





Item No.214013-C





Item No.214015



Item No.214016




Item No.203301.2






Item No.214007



230V	1.2W
15 LEDs	Ø5mm LED



Item No.214008




230V	1.2W	15 LEDs
Ø5mm LED	ST.ST. Alum.	




Item No.203734A

230V	2.6W	Ø5mm LED
33 LEDs	IP67	ST.ST. Alum.




Item No.214009



230V	2.6W	Ø5mm LED	33 LEDs	IP67	ST.ST. Alum.
------	------	----------	---------	------	--------------



Item No.203734



230V	1.5W	Ø5mm LED	18 LEDs	IP67	ST.ST. Alum.
------	------	----------	---------	------	--------------




Item No.214010

230V	2.7W
Ø5mm LED	33 LEDs



Item No.214011

230V	8.5W
Ø5mm LED	105 LEDs




Item No.214012

230V	2.9W
Ø5mm LED	36 LEDs





Item No.200735

Max:50Watt
Bulb:MR 16 G5.3,12Volt
or GU10 230V, AC 50Hz
Material:Die-Casting
Aluminum



Item No.200734

Max:50Watt
Bulb:MR 16 G5.3,12Volt
or GU10 230V, AC 50Hz
Material:Die-Casting
Aluminum



12V 35/50W Gu5.3 MR16
35/50W Gu10



Item No.203440-B



Item No.203440-C



Item No.D203441

MAX 60W E27 GLS
12V 35/50W GU5.3 MR16
35/50W GU10
PLE/C 12W E27





Item No.203442

12V/35/50W GU5.3 MR16

Item No.214017

LED 12/24/220V



Item No.203443



12V/35W MR11

Item No.214018


LED 12/24/220V



70/150W R x 7S HQI-TS
 70/150W G12 HQI-T/HCI-T
 70W E27 NAV-T
 70/150W E27 HQI-E
 18W G24D-2 PL-C





Item No.203444-A




Item No.203444-B


70/150W R x 7S HQI-TS
 70/150W G12 HQI-T/HCI-T
 70W E27 NAV-T
 70/150W E27 HQI-E
 50/808120W E27 PAR38
 15W E27 PLE-C



Item No.203444-C





Item No.203444-D




Item No.203445-A

70/150W R x 7S HQI-TS
 70/150W G12 HQI-T/HCI-T
 70W E27 NAV-T
 70/150W E27 HQI-E
 18W G24D-2 PL-C



Item No.203445-B




Item No.203445-C



Item No.203446-A

12V/35/50W GU5.3 MR16
35/50W GU10

Item No.214022
LED 12/24/220V





Item No.203446-C

12V/35/50W GU5.3 MR16
35/50W GU10

Item No.214024
LED 12/24/220V

70W/150W RX7S HQ1-TS
15W E27 PLE-C



Item No.203446-B

12V/35/50W GU5.3 MR16
35/50W GU10

Item No.214023
LED 12/24/220V



Item No.203446-D



Item No.203446-E




Item No.203446-F



Item No.203447-A

70W R x 7S HQI-TS
70W G12 HQI-T
MAX60W E27 GLS
50/80/120W E27 PAR38
15W E27 PLE-C
18W G24D-2 PL-C



Item No.203447-B



Item No.203447-C




Item No.203447-D



Item No.203447-E

Item No.203448-A

MAX 60W E27 GLS
50W E27 PAR20
12V 35/50W GU5.3 MR16
35/50W Gu10
PLE/C 12W E27



Item No.203448-B




Item No.203448-C



Item No.203448-D


Item No.203449-A

MAX 60W E27 GLS
50W E27 PAR20
12V 35/50W GU5.3 MR16
35/50W Gu10
PLE/C 11W E27




Item No.203449-B

MAX 60W E27 GLS
50W E27 PAR20
12V 35/50W GU5.3 MR16
35/50W Gu10
PLC/C 11W E27





Item No.203449-C

MAX 60W E27 GLS
50W E27 PAR20
12V 35/50W GU5.3 MR16
35/50W Gu10
PLE/C 12W E27




Item No.203449-D






230V	3W	3 LEDs	⊕	F
←	↑	↓	IP44	Driver incl.
45°	Alum.			

Item No.205201-A




12V	3W	3 LEDs	III	F
←	↑	↓	IP67	Driver excl.
45°	Alum.			

Item No.205201-B



230V	3W	3 LEDs	⊕	F
↓	IP44	Driver incl.	45°	Alum.

Item No.205201-C




230V	7W	7 LEDs	⊕	F
↓	IP44	Driver incl.	14°	Alum.

Item No.215202




230V	3W	3 LEDs	⊕	F
←	↑	↓	IP44	Driver incl.
45°	Alum.			



Item No.215204-A





12V	3W	3 LEDs	III	F
↓	IP44	Driver excl.	45°	Alum.





Item No.215204-C





Item No.215425-A





Item No.215425-C




Item No.215426-A




Item No.215426-C






230V	3W	3 LEDs	⊕	F
←	↑	↓	IP44	Driver incl.
45°	Alum.			

Item No.215205-A




12V	3W	3 LEDs	III	F
↓	IP44	Driver excl.	45°	Alum.

Item No.215205-C




Item No.215406

230V	4W	4 LEDs	⊕	F	←
↑	↓	IP68	Driver incl.	17°	ST.ST.




Item No.215408

230V	6W	6 LEDs	⊕	F	←
↑	↓	IP68	Driver incl.	16°	ST.ST.





Item No.215427

230V	9W	9 LEDs	⊕	F	←
↑	↓	IP68	Driver incl.	18°	ST.ST.




Item No.215601




Lux-Distance Curve

Height	Illuminance	Diameter
1m	5094,66 lx	34,73cm
2m	1273,66 lx	69,45cm
3m	566,07 lx	104,18cm
4m	318,42 lx	138,90cm
5m	203,79 lx	173,63cm
6m	141,52 lx	208,35cm
7m	103,97 lx	243,08cm
8m	79,60 lx	277,81cm
9m	62,90 lx	312,53cm
10m	50,95 lx	347,26cm
11m	42,10 lx	381,98cm
12m	35,38 lx	416,71cm

Height Illuminance Diameter
Beam Angle: 20Deg





Light Distribution Curve[Unit: cd]



Lux-Distance Curve

Height	Illuminance	Diameter
1m	2475,05 lx	34,37cm
2m	618,76 lx	68,73cm
3m	275,01 lx	103,10cm
4m	154,89 lx	137,47cm
5m	99,00 lx	171,83cm
6m	68,75 lx	206,20cm
7m	50,51 lx	240,56cm
8m	38,67 lx	274,93cm
9m	30,56 lx	309,30cm
10m	24,75 lx	343,66cm


Height Illuminance Diameter
Beam Angle: 20Deg




Item No.215602



Item No.202741




Light Distribution Curve[Unit: cd]



Lux-Distance Curve


Height	Illuminance	Diameter
1m	5094,66 lx	34,73cm
2m	1273,66 lx	69,45cm
3m	566,07 lx	104,18cm
4m	318,42 lx	138,90cm
5m	203,79 lx	173,63cm
6m	141,52 lx	208,35cm
7m	103,97 lx	243,08cm
8m	79,60 lx	277,81cm
9m	62,90 lx	312,53cm
10m	50,95 lx	347,26cm
11m	42,10 lx	381,98cm
12m	35,38 lx	416,71cm

Height Illuminance Diameter
Beam Angle: 20Deg








Item No.215603





Lux-Distance Curve





Lux-Distance Curve




Item No.215604





Item No.215605




Lux-Distance Curve







Item No.215608





Lux-Distance Curve







Lux-Distance Curve



Light Distribution Curve[Unit: cd]



Item No.215607




Item No.215606




Item No.205201-A

PAR 38 80/120W E27
PLE/C 9W E27



Item No.205201-B



PAR 38 80/120W E27
PLE/C 9W E27



Item No.205202-A(with fork)

Item No.205204-A(wall mounted)

Max 60W
12V 35/50W GU5.3 MR16
35/50W GU10
CFL 11W GU10




Item No.205202-B(with fork)

Item No.205204-B(wall mounted)

Max 60W
12V 35/50W GU5.3 MR16
35/50W GU10
CFL 11W GU10


Item No.205204-C(wall mounted)
Item No.205202-C(with fork)

Max 60W
12V 35/50W GU5.3 MR16
35/50W GU10
CFL 11W GU10



Item No.205203-A

35/50W GU10
12V/35/50W GU5.3 MR16



Item No.205203-B



Item No.205203-C




Item No.200716-2

Item No.200715-2

Item No.200715-1 (Wall mounted)
Item No.200715-2 (with fork)


Max:50Watt
Bulb:MR 16 ,12V or GU10 230V/110V,AC
Halogen Lamps
Material:die-casting Aluminum or Brass
IP65



Item No.200716-1


Item No.200716-1 (Wall mounted)
Item No.200716-2 (with fork)

Max:50Watt
Bulb:MR 16 ,12V or GU10 230V/110V,
AC Halogen Lamps
Material:die-casting Aluminum or Brass
IP65




Item No.200671-1C (Wall mounted)
Item No.200671-2C (with fork)

Max:50Watt
Bulb:MR 16 ,12V or GU10 230V/110V,
AC Halogen Lamps
Material:die-casting Aluminum or Brass
IP65




Item No.200671-1C



Item No.200671-1A (Wall mounted)

Max:50Watt
Bulb:MR 16 ,12V or GU10 230V/110V,
AC Halogen Lamps
Material:die-casting Aluminum or Brass
IP65


Item No.200671-2A (with fork)



Item No.200671-1B (Wall mounted)

Max:50Watt
Bulb:MR 16 ,12V or GU10
230V/110V,AC Halogen Lamps
Material:die-casting Aluminum or Brass
IP65


Item No.200671-2B (with fork)



Item No.200717-A


Max:50Watt
Bulb:JC,12V Halogen Lamps
Material:die-casting Aluminum
or Brass
IP65

IP65




Item No.200710

Max:60Watt
Bulb:E27/E14 incandescent lamps
Material:die-casting Aluminum
Diffuser:Glass
IP33




Item No.200712

Max:60Watt
Bulb:E27/E14 incandescent lamps
Material:die-casting Aluminum
Diffuser:Glass
IP33



Item No.200659

Max:120Watt
Bulb:E27, PAR 38 lamps
Material:Thermo-plastic
IP44



Item No.200658

Max:2x120Watt
Bulb:E27, PAR 38 lamps
Material:Thermo-plastic
IP44



Item No.200657

Max:120Watt
Bulb:E27, PAR 38 lamps
Material:Thermo-plastic
IP44

Item No.200660

Max:2x120Watt
Bulb:E27, PAR 38 lamps
Material:Thermo-plastic
IP44

Outdoor multiple sockets

tem No.200661

Max:1x9Watt
Bulb:PL lamps
Material:Thermo-plastic
IP44

Item No.200713

Max:3300Watt
4xSockets
IP44


Item No.200714

Max:3300Watt
2xSockets
IP44



Die-Casting Aluminium Body
Frost Glass Diffuser
Other Color up to Your Choice
Lampholder: E27 VDE G24d

IP54   



Item No.204101



Item No.204102




Item No.204103



Item No.204301

Die-Casting Aluminium Body
Frost Glass Diffuser
Other Color up to Your Choice
Lampholder: E27 VDE G24d

IP54   



Item No.204302

Watts	Lamp	Socket
60W/9W		E27/G23/G24d




Item No.204303



Item No.204304



Item No.204113




Item No.204114



Item No.204115

Die-Casting Aluminium Body
Frost Glass Diffuser
Other Color up to Your Choice
Lampholder: E27 VDE G24d

IP54   




Item No.204116

Watts	Lamp	Socket
60W/90W		E27/G23/G24d


Material: Aluminium die-casting
Lampholder: G4
Power: JC 12V max 10W
Finish: Black, Matt Silver, White

IP44




Item No.205073


Item No.205072



Item No.205071



LED



Item No.203412



Item No.203409

24 LEDS 230V
Material: Aluminum
Colour Available:
White/Blue/Red/Yellow/Green
IP54





Item No.203410





Item No.203411




Item No.203212




Item No.203213







Item No.203420




Item No.203420-S




230V	1.2W	Ø5mm LED	14 LEDs
IP65	ST.ST. Alum.	112mm	



Item No.203421




Item No.203421-S




230V	1.2W	Ø5mm LED	14 LEDs
IP65	ST.ST. Alum.	112mm	




Item No.203423



230V	1.2W	Ø5mm LED	15 LEDs
IP65	Alum.	217mm 77mm	




Item No.203425



230V	1.5W	Ø5mm LED	18 LEDs
IP65	Alum.	217mm 122mm	




Item No.203428



230V	2.2W	Ø5mm LED	27 LEDs
IP65	Alum.	217mm 166mm	


230V	2.2W	Ø5mm LED	27 LEDs
IP65	Alum.	217mm 166mm	



Item No.203427





Item No.203424



230V	1.5W	Ø5mm LED	18 LEDs
IP65	Alum.	117mm 122mm	



Item No.203206




Item No.203207



Item No.203208



Item No.203200



Item No.203202



Item No.203201



Item No.203204-B





Item No.203204



Item No.203205-B



Item No.203205






Item No.203209



Item No.203210





Item No.203211




Item No.205054

Material:Stainless Steel 316
Aluminium die-casting Copper
Power: MR16 12V max 2x20W or
GU/GZ10 220~240V max 2x35W
Colour:Stainless Steel
Aluminium/Matt Silver, Silver, Black, White



Item No.205055

Material:Stainless Steel 316
Aluminium die-casting
Power:MR16 12V max 50W or
GU/GZ10 220~240V max 50W
Colour:Stainless Steel
Aluminium/Matt Silver, Silver, Black, White



Item No.205056

Material:Stainless Steel 316
Aluminium die-casting, Copper
Power:MR16 12V max 50W or
GU/GZ10 220~240V max 50W
Colour:Stainless Steel
Aluminium/Matt Silver, Silver, Black, White




Item No.205059

Max:50W
Bulb:MR11 G5.3
Material:Stainless Steel 316/304
IP68

Item No.205057

Max:50W
Bulb:MR11 G5.3
Material:Stainless Steel 316/304
IP68



Item No.205058

Max:50W
Bulb:MR11 G5.3
Material:Stainless Steel 316/304
IP68


Item No.205061

Max:50W
Bulb:MR11 G5.3
Material:Stainless Steel 316/304
IP68



Item No.205062

Max:50W
Bulb:MR16 G5.3 GU10
Material:Stainless Steel 316/304
IP68




Item No.203333

Material: Aluminium die-casting

Power: MR16 12V max 50W

Colour: Matt Silver, Sliver, Black, White





Item No.203334

Material: Aluminium die-casting

Power: MR16 12V max 50W

Colour: Matt Silver, Sliver, Black, White



Item No.203338

Material: Aluminium die-casting

Power: MR16 12V max 2x50W

Colour: Matt Silver, Sliver, Black, White





Item No.203332

Material: Aluminium die-casting

Power: MR16 12V max 2x50W or

GU/GZ10 220~240V

Colour: Matt Silver, Sliver, Black, White




Item No.203331

Material: Aluminium die-casting

Power: MR16 12V max 2x50W

Colour: Matt Silver, Sliver, Black, White





Item No.203335

Material: Aluminium die-casting

Power: MR16 12V max 2x50W or

GU/GZ10 max 2x50W

Colour: Matt Silver, Sliver, Black, White



Item No.203330

Material: Aluminium die-casting

Power: MR16 12V max 50W


or GU/GZ10 220~240V max 50W

Colour: Matt Silver, Sliver, Black, White






Item No.203501-A



12V	1.7W	Ø5mm LED	21 LEDs	III	IP44
F	←	ST.ST. Alum.			



Item No.203501-B




12V	1W	Ø5mm LED	12 LEDs	III	IP44
F	←	ST.ST. Alum.			




Item No.203408



Item No.203407



Item No.203406





Item No.203405

230V	2.9W	Ø5mm LED	36 LEDs	III
IP44	F	←	Alum.	




Item No.203502



230V	1W	4 LED	III	IP44
F	←	90°	Alum.	




Item No.203503



230V	3x3W	4 LEDs	III
IP44	F	←	Alum.



Item No.203504



230V	3x3W	4 LEDs	III
IP44	F	←	Alum.



Item No.205087-A

Die-Casting Aluminium Body
PC Diffuser
Lampholder:E27/PL G23
Max:60W



IP54



Item No.205087-B



Item No.205087-C




Item No.205087-D

Material: Aluminium die-casting
Lampholder: GX53/G9
Power: 220~240V max 9W/40W
Colour: Matt Silver, Silver, Black, White, ETC.


IP44



Item No.205085



Item No.205086



Bakelite

Item No.200263

Max:60W
Bulb:E27/B22, 230V/250V 50Hz
Material:Bakelite/Glass
Diffuser:Ø150mm
IP44



Bakelite


Item No.200262

Max:60W
Bulb:E27/B22, 230V/250V 50Hz
Material:Bakelite/Glass
Diffuser:Ø180mm
IP44

Die-Casting Aluminium Body
Frost Glass Diffuser or PC
Other Color up to Your Choice
Porcelain Lampholder:
E27 VDE or PL Lampholder G23
(2x9W 11W 13W)



IP54



Item No.204123




Item No.204122



Item No.204121


Item No.207101

Max:60Watt
Bulb:E27 /B22 incandescent ,
230V/110V,AC
Body:Stainless steel
Diffuser:PC
IP44




Item No.207201

Max:60Watt
Bulb:E27 /B22 incandescent ,
230V/110V,AC
Body: Stainless steel
Diffuser:PC
IP44




Item No.207102

Max:60Watt
Bulb:E27 /B22 incandescent ,
230V/110V,AC
Body:Stainless steel
Diffuser:PC
IP44




Item No.207202

Max:60Watt
Bulb:E27 /B22 incandescent ,
230V/110V,AC
Body:Stainless steel
Diffuser:PC
IP44




Item No.207103

Max:60Watt
Bulb:E27 /B22 incandescent ,
230V/110V,AC
Body:Stainless steel
Diffuser:PC
IP44





Item No.207203

Max:60Watt
Bulb:E27 /B22 incandescent ,
230V/110V,AC
Body:Stainless steel
Diffuser:PC
IP44




Item No.207104

Max:60Watt
Bulb:E27 /B22 incandescent,
230V/110V,AC
Body:Stainless steel
Diffuser:PC
IP44



Item No.207204


Max:60Watt
Bulb:E27 /B22 incandescent ,
230V/110V,AC
Body:Stainless steel
Diffuser:PC
IP44






Item No.207301

Max:60Watt
Bulb:E27 /B22 incandescent,
230V/110V,AC
Body:Stainless steel
Diffuser:PC
IP44




Item No.207302

Max:60Watt
Bulb:E27 /B22 incandescent,
230V/110V,AC
Body:Stainless steel
Diffuser:PC
IP44




Item No.207303

Max:60Watt
Bulb:E27 /B22 incandescent,
230V/110V,AC
Body:Stainless steel
Diffuser:PC
IP44



Item No.207304


Max:60Watt
Bulb:E27 /B22 incandescent,
230V/110V,AC
Body:Stainless steel
Diffuser:PC
IP44




Item No.207304

Item No.207501/ 207502/ 207504


Max:60Watt
Bulb:E27 /B22 incandescent,
230V/110V,AC
Body:Stainless steel
Diffuser:PC
IP44




Item No.207501



Item No.207502




Item No.207504



Item No.207404

Max:60Watt
Bulb:E27 /B22 incandescent,
230V/110V,AC
Body:Stainless steel
Diffuser:PC
IP44



Item No.207401


Max:60Watt
Bulb:E27 /B22 incandescent,
230V/110V,AC
Body:Stainless steel
Diffuser:PC
IP44






Item No.207601/ 207602

Max:60Watt
Bulb:E27 /B22 incandescent,
230V/110V,AC
Body:Stainless steel
Diffuser:PC
IP44



Item No.207601




Item No.207602




Item No.207802

Max:60Watt
Bulb:E27 /B22 incandescent,
230V/110V,AC
Body:Stainless steel
Diffuser:PC
IP44




Item No.207701/ 207702

Max:60Watt
Bulb:E27 /B22 incandescent,
230V/110V,AC
Body:Stainless steel
Diffuser:PC
IP44



Item No.207701




Item No.207702




Item No.207012

Max:60Watt
Bulb:E27 /B22 incandescent,
230V/110V,AC
Body:Stainless steel
Diffuser:PC
IP44




Max:60Watt
Bulb:E27 /B22 incandescent,
230V/110V,AC
Body:Stainless steel
Diffuser:PC
IP44




Item No.207015-A



Item No.207015-B




Item No.207015-C




Item No.207015-D


Max:60Watt
Bulb:E27 /B22 incandescent,
230V/110V,AC
Body:Stainless steel
Diffuser:PC
IP44



Item No.207901





Item No.207904




Item No.207902




Item No.207017



Item No.207010



Item No.207011



Item No.207014

Max:10Watt
Bulb:JC12V G4.0
Body:Stainless steel
Diffuser:PC
IP44



Item No.207805

Max:60Watt
Bulb:E27 /B22 incandescent,
230V/110V,AC
Body: Stainless steel
Diffuser:PC
IP44



Item No. 206602




Item No. 206505




Item No. 206101

Aluminum Die-Casting Body E27 Max 100W
Pattern Glass




206601 206602 206604 206605 206603

Aluminum Die-Casting Body E27 Max 100W
Opal or Clear PC Lens



206501 206502 206504 206505 206503

Aluminum Die-Casting Body E27 Max 60W
Clear / Frost / Pattern / Glass / Opal PC Lens




206101 206102 206104 206105 206103



Item No. 206205

Aluminum Die-Casting Body
Clear / Frost / Pattern / Glass / Opal PC Lens

E27 Max 100W



206201

206202

206204

206205


206203



Item No. 206001

Aluminum Die-Casting Body
Clear / Frost / Pattern / Glass / Opal PC Lens

E27 Max 100W



206001

206002

206004

206005


206003



Item No. 206701

Aluminum Die-Casting Body
Clear / Frost / Pattern / Glass / Opal PC Lens

E27 Max 100W



206701

206702

206704

206705

206703



Item No. **206801**




Item No. **206901**



Item No. **206301**

Aluminum Die-Casting Body
Pattern Glass

E27 Max 100W



206801

206802


206803

206804

206805

Aluminum Die-Casting Body
Opal or Clear PC Lens

E27 Max 100W



206901

206902


206903

206904

206905

Aluminum Die-Casting Body
Clear / Frost / Pattern / Bevelled Glass

E27 Max 60W



206301

206302

206303


206304

206305



Item No. 206401

Aluminum Die-Casting Body E27 Max 60W
Clear/ Frost/ Pattern/ Bevelled Glass Color: IN PG88



206401

206402

206403

206404

206405

Fluorescent outdoor lighting



Item No.204158

Max:1x58Watt

Bulb:Fluorescent lamp T8/T10

Material:Plastic

LxWxH:1580x102x100mm

IP54

Item No.204258


Max:2x58Watt

Bulb:Fluorescent lamp T8/T10

Material:Plastic

LxWxH:1580x162x100mm

IP54



Item No.204218

Max:2x18Watt

Bulb:Fluorescent lamp T8/T10

Material:Plastic

LxWxH:68x160x100mm

IP54

Item No.204118

Max:1x18Watt

Bulb:Fluorescent lamp T8/T10

Material:Plastic

LxWxH:68x100x100mm

IP54



Item No.204236

Max:2x36Watt

Bulb:Fluorescent lamp T8/T10

Material:Plastic

LxWxH:1290x160x100mm

IP54

Item No.204136

Max:1x36Watt

Bulb:Fluorescent lamp T8/T10

Material:Plastic


LxWxH:1290x100x100mm

IP54

Item No. 200505




- Max:150Watt
- Bulb:Rx7S Metal Halide lamp
- Material:Die-casting Aluminum
- Protection Class: IP55



Item No. 200548




- Max:400Watt
- Bulb:Rx7S Metal Halide lamp
- Material:Die-casting Aluminum
- Protection Class:IP55




Item No. 200525




- Max:150Watt
- Bulb:Rx7S Metal Halide lamp
- Colour:White, Black,
- Material:die-casting Aluminum
- IP55




Item No. 200505-2




- Max:150Watt
- Bulb:Rx7S Metal Halide lamp
- Colour:White, Black,
- Material:die-casting Aluminum
- IP55




Item No. 200670-2




- Max:150Watt
- Bulb:Rx7S Metal Halide lamp
- Colour:White, Black, Grey
- Material:die-casting Aluminum
- IP55



Item No. 200670




- Max:150Watt
- Bulb:Rx7S Metal Halide lamp
- Colour:White, Black, Grey
- Material:die-casting Aluminum
- IP55




Item No. 200526




- Max:400Watt
- Bulb:E40 Metal Halide lamp
- Colour:White, Black, Grey
- Material:die-casting Aluminum
- IP55




Item No. 200260




- Max:400Watt
- Bulb:E40 Metal Halide lamp
- Colour:White, Black, Grey
- Material:die-casting Aluminum
- IP55




Item No. 200718




- Max:400Watt
- Bulb:E40 Metal Halide lamp
- Colour:White, Black, Grey
- Material:die-casting Aluminum
- IP55




Item No. 200719




- Max:150Watt
- Bulb:E27/Rx7s Metal Halide lamp
- Colour:White, Black, Grey
- Material:die-casting Aluminum
- IP55




Item No. 200720




- Max:150Watt
- Bulb:E27 Metal Halide lamp
- Colour:White, Black, Grey
- Material:die-casting Aluminum
- IP55




Item No. 200721



- Max:1000Watt
- Bulb:E40 Metal Halide lamp
- Colour:White, Black, Grey
- Material:die-casting Aluminum
- IP55




- Item No.300364-B**
- Material:Die Casting Aluminium
 - Max:2000W MH/HPS
 - Finishes:Black, Silver, Grey




Item No. 209671




- Operating Voltage:110-130V/60Hz
220-240V/50Hz
- Max Watt:150W
- Lamp:HQI70-150W/Rx7s
- Material:Die Casting Aluminium
- Finish:White, Black
- IP Rating:IP 65



Item No. 209672




- Operating Voltage:110-130V/60Hz
220-240V/50Hz
- Max Watt:400W
- Lamp:MH250 400W/E40,HPS250W/E40
- Material:Die Casting Aluminium
- Finish:White, Black
- IP Rating:IP 65




Item No. 209670




- Operating Voltage:110-130V/60Hz
220-240V/50Hz
- Max Watt:1000W
- Lamp:MH1000W/E40
- Material:Die Casting Aluminium
- Finish:White, Black
- IP Rating:IP 65




Item No. 209673




- Operating Voltage:110-130V/60Hz
220-240V/50Hz
- Max Watt:1x1000W/2x400W
- Lamp:MH1000W/E40
- Material:Die Casting Aluminium
- Finish:White, Black, Grey
- IP Rating:IP 65



Item No. 200601




- Max:70Watt
- Bulb:E27 Metal Halide lamp
- Material:Die-casting Aluminum
- Protection Class:IP55



Item No. 200602



- Max:150Watt
- Bulb:E27 Metal Halide lamp
- Material:Die-casting Aluminum
- Protection Class:IP55




Item No. 200603




Item No.200603

- Max:400Watt
- Bulb:E40 Metal Halide lamp
- Material:Die-casting Aluminum
- Protection Class:IP55



Item No.200603-B

- Max:250Watt



Item No. 200605A

Item No. 200605B




Item No.200605A


- Max:1000Watt
- Material:Aluminum
- Protection Class: IP55

Item No.200605B


- Max:400Watt
- Material:Aluminum
- Protection Class: IP55




Item No. 200489




- Max:250Watt
- Bulb:E27 Metal Halide lamp
- Material:Die-casting Aluminum
- Protection Class:IP65



Item No. 200490




- Max:400Watt
- Bulb:E40 Metal Halide lamp
- Material:Die-casting Aluminum
- Protection Class:IP565




Item No. 200259



- Max:150Watt
- Bulb:Rx7S Metal Halide lamp
- Colour:White, Black, Grey
- Material:die-casting Aluminum
- IP55



Item No. 200909-150/400



Item No.:200909-150

- Max:150Watt
- Bulb:Rx7S / E27 Metal Halide lamp


Item No.:200909-400

- Max:400Watt
- Bulb:E40 Metal Halide lamp


- Material:die-casting Aluminum
- IP55



200909-150




200909-400



Item No. 200002 200004




- Materials: Die-casting aluminum
- Item No.: 200002 Lamp: 150W R7s 78mm, halogen lamp
- Item No.: 200004 Lamp: 500W R7s 118mm, halogen lamp
- Protection class: IP54




Item No. 200099 200098 200205




- Materials: Die-casting aluminum
- Item No.: 200099 Lamp: 150W R7s 78mm, halogen lamp
- Item No.: 200098 Lamp: 500W R7s 118mm, halogen lamp
- Item No.: 200205 Lamp: 1000W R7s 189mm, halogen lamp
- Protection class: IP54



Item No. 200007




- Materials: Die-casting aluminum
- Lamp: 1500W R7s 254mm, halogen lamp
- Protection class: IP54



Item No. 200059 200057



- Materials: Die-casting aluminum
- Item No.: 200059 Lamp: 150W R7s 78mm, halogen lamp
- Item No.: 200057 Lamp: 500W R7s 118mm, halogen lamp
- Protection class: IP54
- With Sensor
- Detection Angle: 120°
- Detection Range: 12m dimmable
- Time Delay: 9S-10Min
- Light sensitivity: 30 lux. dimmable



Item No. 200668



- Max:150Watt
- Bulb:R7S Halogen lamp
- Colour: White, Black,
- Material:die-casting Aluminum
- Detection angle:120°
- Detection Range:10M
- IP54

Item No. 200654




- Max:150Watt
- Bulb:R7S Halogen lamp
- Colour:White, Black,
- Material:die-casting Aluminum
- IP54

Item No. 200730




- Max:150Watt
- Bulb:R7S Halogen lamp
- Colour:White, Black,
- Material:die-casting Aluminum
- IP33



Item No. 200731




- Max:300Watt
- Bulb:R7S Halogen lamp
- Colour:White, Black,
- Material:die-casting Aluminum
- IP33



Item No. 200098-2E27




- Material: Die-Casting Aluminum
- Lamp: E27 Energy Saving Spiral Bulb
- IP54



Item No. 200007-2E40




- Material: Die-Casting Aluminum
- Lamp: E40 Energy Saving Spiral Bulb
- IP54



Item No. 200080




- Material: Die-Casting Aluminum
- Lamp: 2xPLC 26W, G24d
- IP54



Item No. 200080-6




- Max: 2xPLC 26W
- Material: G24d
- Material: Die-Casting Aluminum
- IP54



Item No. 200607



- 220V-240V, 50Hz, A.C.
- Material: Gear box - Die-casting Aluminum
- Colour: Gear box - in white, Metal grey, white




Item Number	Reflector model	Dimension of reflector	Lamp
200607-609-505	300609	Dia. Ø505mm	E40,400Watt
200607-609-475	300609	Dia. Ø475mm	E40,400Watt
200607-609-430	300609	Dia. Ø430mm	E40,250Watt
200607-610-485	300610	Dia. Ø485mm	E40,400Watt
200607-612-410	300612	Dia. Ø410mm	E40,250Watt
200607-612-560	300612	Dia. Ø560mm	E40,400Watt

Item No. 200491



- 220V-240V, 50Hz, A.C.
- Material: Gear box - Die-casting Aluminum
- Colour: Gear box - in white, Metal grey, white



Item Number	Reflector model	Dimension of reflector	Lamp
200491-609-505	300609	Dia. Ø505mm	E40,400Watt
200491-609-475	300609	Dia. Ø475mm	E40,400Watt
200491-609-430	300609	Dia. Ø430mm	E40,250Watt
200491-610-485	300610	Dia. Ø485mm	E40,400Watt
200491-612-410	300612	Dia. Ø410mm	E40,250Watt
200491-612-560	300612	Dia. Ø560mm	E40,400Watt

Item No. 200608



- 220V-240V, 50Hz, A.C.
- Material: Gear box - Die-casting Aluminum
Diffuser - PC+UV

Lamp	Lamp model	Dimension of diffuser
26W, E27	Compact Fluorescent Lamps	Dia. Ø325xH.300mm

Item No. 200613



- 220V-240V, 50Hz, A.C.
- Material: Aluminum

Lamp	Lamp model	Dimension of diffuser
85W, E40	Energy Saving Lamps	Dia. Ø395xH.330mm

Item No. 2006111



- 220V-240V, 50Hz, A.C.
- Material: Aluminum

Lamp	Lamp model	Dimension of diffuser
45W, E27	Energy Saving Lamps	Dia. Ø315xH.300mm

Item No. 300610



Item No. 300609



Item No.:300609

- Reflector of high-bay fittings
- Material: Aluminum
- Dimension: Diameter - Ø505mm, Ø430mm or Ø475mm

Item No.:300610

- Reflector of high-bay fittings
- Material: Aluminum
- Dimension: Diameter - Ø485mm, Height - 315mm

Item No. 300612




- Diffuser of high-bay fittings
- Material: PC+UV
- Dimension:
 - a) Diameter - Ø410mm, Height - 280mm
 - b) Diameter - Ø560mm, Height - 345mm

Item No. 300611



Item No. 300613/ 300614



Item No.:300611

- Prismatic Conical Lens of high-bay fittings
- Material: PC+UV
- Dimension: a) Diameter - Ø410mm b) Diameter - Ø560mm






Item No.:300613

- Glass Lens of high-bay fittings
- Material: Glass

Item No.:300614

- Rubber seal and clips of high-bay fittings




230V	124W	66 LEDs	
IP65	Driver incl.	73°	Alum.





Item No.216001




Item No.216002







230V	88W	48 LEDs	
IP65	Driver incl.	72°	Alum.








230V	70W	38 LEDs	
IP65	Driver incl.	86°	Alum.



Item No.216003




Item No.216008




230V	100W	57 LEDs		
	IP65	Driver incl.	94°	Alum.

Item No.216004




Input(VAC)	Power	Luminous flux	Color temperature(k)	Color rendering property	Beam Angle	Protection Class(IP)
90~260	100	7500	5000~6000	80	LED 170°	65
90~260	120	9000	5000~6000	80	LED 170°	65
90~260	150	11250	5000~6000	80	LED 170°	65

Item No.216005




Input(VAC)	Power	Luminous flux	Color temperature(k)	Color rendering property	Beam Angle	Protection Class(IP)
90~260	50	3750	5000~6000	80	LED 130°	65
90~260	80	6000	5000~6000	80	LED 130°	65
90~260	100	7500	5000~6000	80	LED 130°	65

Item No.216006



Input(VAC)	Power	Luminous flux	Color temperature(k)	Color rendering property	Beam Angle	Protection Class(IP)
90~260	50	3750	5000~6000	80	LED 170°	65
90~260	80	6000	5000~6000	80	LED 170°	65



Item No.216007



Input(VAC)	Power	Luminous flux	Color temperature(k)	Color rendering property	Beam Angle	Protection Class(IP)
90~260	100	7500	5000~6000	80	LED170°	65
90~260	120	9000	5000~6000	80	LED170°	65
90~260	150	11250	5000~6000	80	LED170°	65

Item No. 303004

Item No. 303003



Item No.303004

- Max:50-150W
- Pri:220-240V~50/60Hz 0.65A
- Sec:11.5V~eff, 12.5A
- CosØ:0.99 Ta:45°C Tc:85°C


Item No.303003

- Max:35-105W
- Pri:220-240V~50/60Hz 0.46A
- Sec:11.5V~eff, 8.8A
- CosØ:0.99 Ta:45°C Tc:85°C

Item No. 303002



- Max:10-60W
- Pri:220-240V~50/60Hz 0.26A
- Sec:11.5V~eff, 5.0A
- CosØ:0.99 Ta:45°C Tc:75°C



Item No. 303101



LED Driver

Constant Voltage

Item No. 303101


- Max:8W
- Pri:220-240V~50/60Hz 0.8A
- Sec:12V DC, 600mA
- Ta:45°C Tc:75°C

Item No. 303102

- Max:30W
- Pri:220-240V~50/60Hz
- Sec:12V DC


Item No. 303103

- Max:50W
- Pri:220-240V~50/60Hz
- Sec:12V DC



AMP Socket:3,4,5,6 ways

Item No. 303104



Constant Current


Item No. 303104

- Max:3W
- Pri:80-270V~50/60Hz
- Sec:350mA


Item No. 303105

- Max:3W
- Pri:80-270V~50/60Hz
- Sec:700mA


LED Driver




Item No. **300616**




- Electromagnetic safely transformers for low-voltage halogen lamps 12V.
- A slow-acting fuse should be installed in the wiring on site.



Safely Transformer					
Type	Capacity Range W	50,60Hz V/see	A mm	B mm	C mm
220V,230V,240V					
T50-901	35-50	11.5	150	136	70



Safely Transformer					
Type	Capacity Range W	50,60Hz V/see	A mm	B mm	C mm
220V,230V,240V					
T20-902	15-20	11.5	140	110.3	50
T40-902	25-40	11.5	170	140.3	80
T50-902	35-50	11.5	170	140.3	110
T60-902	40-60	11.5	205	175.3	116




Safely Transformer					
Type	Capacity Range W	50,60Hz V/see	A mm	B mm	C mm
220V,230V,240V					
T20-903	15-20	11.5	155	140	65
T40-903	25-40	11.5	195	176	95
T50-903	35-50	11.5	195	176	95
T60-903	40-60	11.5	195	176	108
T80-903	45-80	11.5	245	230	160
T105-903	70-105	11.5	245	230	160

Item No. **300617**



- Electromagnetic ballasts for single-end compact fluorescent lamps and two-ends straight tube fluorescent lamps.



Ballast					Lamp				
Type	A mm	B mm	C mm	t/tan k	Type dia	mm	Base	Output w	Current mA
220V,230V,240V,50Hz,60Hz									
L4,5,8,508	85	75	34	55/85	T5(T16)	16	G5	4	170
L4,5,8,508	85	75	34	55/85	T5(T16)	16	G5	6	160
L4,5,8,508	85	75	34	55/85	T5(T16)	16	G5	8	155
L13,508	85	75	34	55/85	T5(T16)	16	G5	2x8	155
L13,508	85	75	34	55/85	T5(T16)	16	G5	2x6	165
L13,508	85	75	34	55/85	T5(T16)	16	G5	2x8	155
L13,508	85	75	34	55/85	T5(T16)	16	G5	13	165
L13,800	155	140	60	60/90	T8(T26)	26	G13	15	330
L18/20,800	155	140	60	70/110	T8(T26)	26	G13	18	370
L20,800	155	140	60	70/110	T12(T38)	38	G13	20	370
L30,800	155	140	60	65/150	T8(T26)	26	G13	2x15	365
L30,800	155	140	60	65/150	T8(T26)	26	G13	30	365
L36,800	155	140	60	65/155	T8(T26)	26	G13	2x18	430
L36,800	155	140	60	65/155	T8(T26)	26	G13	36	430
L40,800	155	140	60	65/155	T8(T26)	26	G13	38	430
L40,800	155	140	60	65/155	T12(T38)	38	G13	2x20	430
L40,800	155	140	60	65/155	T12(T38)	38	G13	40	430
L58/65.903	195/235	180/220	110	55/140	T8(T26)	26	G13	58	670
L58/65.903	195/235	180/220	110	55/140	T12(T38)	38	G13	65	670

Ballast				Lamp			
Type	A mm	B mm	C mm	Type	Base	Output w	Current mA
L7,9,11,508	85	75	34	TC-S	G23	5	180
L7,9,11,508	85	75	34	TC-S	G23	7	175
L7,9,11,508	85	75	34	TC-S	G23	9	170
L7,9,11,508	85	75	34	TC-S	G23	11	160
L10,508	85	75	34	TC-D/TC-DD	G24d-1/GR10q	10	180
L13,508	85	75	34	TC-D/TC-T	G24d-1/GX24d-1	13	165
L16,508	85	75	34	TC-DD	GR8/GR10q	16	200
L18,508	85	75	34	TC-D/TC-T	G24d-2/Gx24d-2	18	220
L26,808	155	140	60	TC-D/TC-T	G24d-3/Gx24d-3	26	315
L28,800	155	140	60	TC-DD	GR8/GR10q	28	320
L40,800	155	140	60	TC-F/TC-L	2G10/2G11	36	430
L40,800	155	140	60	TC-DD	GR10q	38	430


Item No. **300619**



- Ballasts for HM lamps
- For mercury vapour lamps and metal halide vapour lamps



TW130



Ballast					Lamp	
Type	A mm	B mm	C mm	Δt k	Output w	Current mA
220V,230V,50Hz						
TE-50	112	86	28	60	50	0.61
TE-80	112	86	28	70	80	0.80
TE-125	112	86	42	75	125	1.15
TE-250	145	120	76	75	250	2.13
TE-400	180	155	110	80	400	3.25
230V,240V,50Hz						
TE-50	112	86	28	60	50	0.61
TE-80	112	86	28	70	80	0.80
TE-125	112	86	42	75	125	1.15
TE-250	180	155	95	75	250	2.13
TE-400	180	155	110	85	400	3.25
220V,60Hz						
TE-50	112	86	28	60	50	0.61
TE-80	112	86	28	60	80	0.80
TE-125	112	86	36	70	125	1.15
TE-250	145	120	76	70	250	2.13
TE-400	180	155	95	80	400	3.25

Ballast					Lamp	
Type	A mm	B mm	C mm	Δt k	Output w	Current mA
230V,240V,50Hz						
HE-Hs100	144	120	55	70	150	1.20
HE-Hs100	144	120	55	70	150	1.20
HE-Hs100	180	158	110	80	250	3.00

Item No. **300620**



- Item No.300620
Capacitor: 9uF, 12uF, 18uF, 28uF



- Item No.300615
Ignitor

Item No. 300650




- Max: 26Watt x2 PLC
- AC,220~240V/50Hz
- Material:Iron



Item No.	Outer Size(Lx W)	Height
300650	158x92mm	40mm

Item No. 300649



- Max: 26Watt x2 PLC
- AC,220~240V/50Hz
- Material:Iron



Item No.	Outer Size(Lx W)	Height
300649	178x107mm	40mm


Item No. 300651




- Max: 26Watt x2 PLC
- AC,220~240V/50Hz
- Material:Plastic

Item No.	Outer Size (LxW)	Height
300651	175x110mm	53mm

Item No. 300364



- Gear Box for HS or metal halide lamps
- AC,220~240V/50Hz
- Material:Iron




Item No.	Tube Current(A)	Tube Power(W)	In Current(a)	Power Factor(cosO)
300364-70	0.98	70	0.402	0.9
300364-150	1.80	150	0.810	0.9
300364-250	3.00	250	1.400	0.9
300364-400	3.25/3.40	400	2.050	0.9

Item No. **160615**



- Item No. 160615
Cable ties
Material: PA



- Item No. 160553
Clamp for Ø16mm tube
Material: ABS

- Item No. 160554
Clamp for Ø20mm tube



Type	Length L		Width W mm	Bundle Diameter E(mm)	Min. Loop Tensile Strength		Packing
	Inch	mm			Lbs	Kgs	
2.5x60	2.4	60	2.5	2-11	18	8	100pcs & 100pcs
2.5x80	3.2	80		2-16			
2.5x100	4.0	100		2-22			
2.5x120	4.7	120		2-30			
2.5x150	6.0	150		2-35			
2.5x200	8.0	200		3-50			
3.6x150	6.0	150	3.6	3-35	40	18	100pcs & 500pcs 100pcs & 200pcs
3.6x180	7.1	180		3-42			
3.6x200	8.0	200		3-50			
3.6x250	10	250		3-65			
3.6x280	11	280		3-70			
3.6x300	12	300		3-80			
4.8x120	4.7	120	4.8	3-30	50	22	100pcs & 200pcs
4.8x180	7.1	180		3-42			
4.8x200	8.0	200		3-35			
4.8x250	10	250		3-65			
4.8x300	12	300		3-80			
4.8x350	14	350		3-90			
4.8x380	15	380		3-102			
4.8x400	16	400		3-105			
7.2x150	6.0	150	7.2	3-35	120	55	100pcs & 200pcs 100pcs
7.2x200	8.0	200		3-50			
7.2x250	10	250		4-65			
7.2x300	12	300		4-80			
7.2x350	14	350		4-90			
7.2x400	16	400		4-105			
7.2x450	18	450		4-110			
7.2x500	20	500		4-150			
9.0x400	16	400	9.0	8-105	175	79.4	100pcs
9.0x450	18	450		8-118			
9.0x500	20	500		8-150			
9.0x550	21.6	550		8-160			
9.0x600	23.6	600		8-170			
9.0x650	25.6	650		8-185			
9.0x720	28.3	720		10-195			
9.0x800	31.5	800		10-230			
9.0x900	35.5	900		10-265			
12x650	25.6	650	12	14-185	250	114	100pcs



EL-RANGE

A professional in lighting

EL-RANGE MANUFACTURING CO., LTD.

Office: Unit A1007, No.203 Lantian Rd., Ningbo China, 315010

Tel: +86-574-27786155 87705662

Fax: +86-574-87212601 87705725

E-mail: sales@el-range.com

Http://www.el-range.com

Factory: Shangqiao, XiWu Town, Fenghua, Ningbo, 315628, P.R. China

AGENT IN AUSTRALIA:

JELECO INTERNATIONAL PTY., LTD.

6 Milloo Crescent, Mount Waverley

VIC 3149

Tel: +61-3-98868057

Mobile: 0411 080951