

LED LAMPS

EL-RANGE

A professional in lighting

EL-RANGE MANUFACTURING CO., LTD.

www.el-range.com

2014-2016





Item No.410105

Specification	Value
Power	5W±10%
Voltage	AC85~240V
Frequency	50/60 Hz
Beam Angle	90°/30°
Lumen	320LM
Color Temperature	2700K~6500K
Life-span	30,000Hours
LED Type	1X5W COB
Lampholder	GU10



Item No.410107


Specification	Value
Power	6.5W±10%
Voltage	AC85~240V
Frequency	50/60 Hz
Beam Angle	90°
Lumen	500LM
Color Temperature	2700K~6500K
Life-span	30,000Hours
LED Type	1X7W COB
Lampholder	GU10



Item No.410209



Item No.416209



Item No.410210



Specification	Value
Power	4W±10%
Voltage	AC85~240V
Frequency	50/60 Hz
Beam Angle	38°
Lumen	350LM
Color Temperature	2700K~6500K
Life-span	30,000Hours
LED Type	1X4W COB
lampholder	GU10/MR16

Specification	Value
Power	8W±10%
Voltage	AC85~240V
Frequency	50/60 Hz
Beam Angle	38°
Lumen	500LM
Color Temperature	2700K~6500K
Life-span	30,000Hours
LED Type	4X3W
Lampholder	GU10



Item No.403G10(GU10)
Item No.403R16-3(MR16)

Specification	Value
Power	4W±10%
Voltage	AC85~240V / 12V
Frequency	50/60 Hz
Beam Angle	38°
Lumen	280LM
Color Temperature	2700K~6500K
Life-span	30,000Hours
LED Type	3X2W HP
Lampholder	GU10/MR16



Item No.416106

Specification	Value
Power	5W±10%
Voltage	AC 12V
Frequency	50/60 Hz
Beam Angle	38°
Lumen	350LM
Color Temperature	2700K~6500K
Life-span	30,000Hours
LED Type	3X2W HP
lampholder	MR16



Item No.416214

Specification	Value
Power	4W±10%
Voltage	AC 12V
Frequency	50/60 Hz
Beam Angle	38°
Lumen	350LM
Color Temperature	2700K~6500K
Life-span	30,000Hours
LED Type	4X2W HP
lampholder	MR16



Item No.410214

Specification	Value
Power	5W±10%
Voltage	AC 100-240V
Frequency	50/60 Hz
Beam Angle	38°
Lumen	350LM
Color Temperature	2700K~6500K
Life-span	30,000Hours
LED Type	3X2W HP
lampholder	GU10



Item No.416305

Specification	Value
Power	5W±10%
Voltage	AC 12V
Frequency	50/60 Hz
Beam Angle	120°
Lumen	410LM
Color Temperature	2700K~6500K
Life-span	30,000Hours
LED Type	SMD
lampholder	MR16




Item No.410305

Specification	Value
Power	5W±10%
Voltage	AC 100-240V
Frequency	50/60 Hz
Beam Angle	120°
Lumen	410LM
Color Temperature	2700K~6500K
Life-span	30,000Hours
LED Type	SMD
lampholder	GU10



Item No.413016-24L5

Specification	Value
Power	4W±10%
Voltage	AC 12V
Frequency	50/60 Hz
Beam Angle	38°/60°
Lumen	300LM
Color Temperature	2700K~6500K
Life-span	30,000Hours
LED Type	SMD
lampholder	MR16



Item No.403110-24L5

Specification	Value
Power	4W±10%
Voltage	AC 100V-240V
Frequency	50/60 Hz
Beam Angle	38°/60°
Lumen	300LM
Color Temperature	2700K~6500K
Life-span	30,000Hours
LED Type	SMD
lampholder	GU10



Item No.403016-24AL3

Specification	Value
Power	4.9W±10%
Voltage	AC 12V
Frequency	50/60 Hz
Beam Angle	60°
Lumen	360LM
Color Temperature	2700K~6500K
Life-span	30,000Hours
LED Type	SMD
lampholder	MR16



Item No.403110-24AL3

Specification	Value
Power	4.9W±10%
Voltage	AC 85V-240V
Frequency	50/60 Hz
Beam Angle	60°
Lumen	360LM
Color Temperature	2700K~6500K
Life-span	30,000Hours
LED Type	SMD
lampholder	GU10



Item No.413016-COB10
Dimmable

Specification	Value
Power	9W±10%
Voltage	AC 100V-240V
Frequency	50/60 Hz
Beam Angle	38°/60°
Lumen	700LM
Color Temperature	2700K~6500K
Life-span	30,000Hours
LED Type	COB
lampholder	RETROFIT



Item No.413016-COB07
Dimmable

Specification	Value
Power	7W±10%
Voltage	AC 100V-240V
Frequency	50/60 Hz
Beam Angle	38°/60°
Lumen	400LM
Color Temperature	2700K~6500K
Life-span	30,000Hours
LED Type	COB
lampholder	RETROFIT




Item No.403019-B

Specification	Value
Power	5.5W±10%
Voltage	AC 100V-240V
Frequency	50/60 Hz
Beam Angle	120°
Lumen	470LM
Color Temperature	2700K~6500K
Life-span	30,000Hours
LED Type	SMD
lampholder	PAR20




Item No.403020-B

Specification	Value
Power	8W±10%
Voltage	AC 100V-240V
Frequency	50/60 Hz
Beam Angle	120°
Lumen	638LM
Color Temperature	2700K~6500K
Life-span	30,000Hours
LED Type	SMD
lampholder	PAR30




Item No.403021-B


Specification	Value
Power	10W±10%
Voltage	AC 100V-240V
Frequency	50/60 Hz
Beam Angle	120°
Lumen	806LM
Color Temperature	2700K~6500K
Life-span	30,000Hours
LED Type	SMD
lampholder	PAR38



Item No.419100



Item No.419101




Item No.419102


Specification	Value
Power	7W±10%
Voltage	AC 100V-240V
Frequency	50/60 Hz
Beam Angle	180°
Lumen	600LM
Color Temperature	2700K~6500K
Life-span	30,000Hours
LED Type	SMD
lampholder	R63

Specification	Value
Power	5W±10%
Voltage	AC 100V-240V
Frequency	50/60 Hz
Beam Angle	180°
Lumen	396LM
Color Temperature	2700K~6500K
Life-span	30,000Hours
LED Type	SMD
lampholder	R50

Specification	Value
Power	4W±10%
Voltage	AC 100V-240V
Frequency	50/60 Hz
Beam Angle	180°
Lumen	323LM
Color Temperature	2700K~6500K
Life-span	30,000Hours
LED Type	SMD
lampholder	R39




G45



B50

Item No.419005
Bulb Shape:G45,B50

Specification	Value
Power	4W±10%
Voltage	AC 100V/240V
Frequency	50/60 Hz
Beam Angle	180°
Lumen	323LM
Color Temperature	2700K~6500K
Life-span	30,000Hours
LED Type	SMD
lampholder	E14,E27,B22,B15



C30




C30L

Item No.419007
Bulb Shape:C30,C30L


Specification	Value
Power	4W±10%
Voltage	AC 100V/240V
Frequency	50/60 Hz
Beam Angle	180°
Lumen	323LM
Color Temperature	2700K~6500K
Life-span	30,000Hours
LED Type	SMD
lampholder	E14,E27,B22,B15



Item No.419106
Bulb Shape:G50,G60



G50




G60


Specification	Value(G50)	Value(G60)
Power	5W±10%	5.5W±10%
Voltage	AC 100V/240V	AC 100V/240V
Frequency	50/60 Hz	50/60 Hz
Beam Angle	270°	270°
Lumen	396LM	470LM
Color Temperature	2700K~6500K	2700K~6500K
Life-span	30,000Hours	30,000Hours
LED Type	SMD	SMD
lampholder	E14,E27,B22,B15	E14,E27,B22,B15



Item No.419110
Bulb Shape:A60




Specification	Value
Power	8W/10W/12W
Voltage	AC 100V/240V
Frequency	50/60 Hz
Beam Angle	180°
Lumen	638LM/806LM/1055LM
Color Temperature	2700K~6500K
Life-span	30,000Hours
LED Type	SMD
lampholder	E27,B22




Item No.419210
Bulb Shape::B50H

Specification	Value
Power	4W±10%
Voltage	AC 100V/240V
Frequency	50/60 Hz
Beam Angle	270°
Lumen	396LM
Color Temperature	2700K~6500K
Life-span	30,000Hours
LED Type	SMD
lampholder	E14,B15,E27,B22



Item No.419205
Bulb Shape::B45H

Specification	Value
Power	4W±10%
Voltage	AC 100V/240V
Frequency	50/60 Hz
Beam Angle	270°
Lumen	396LM
Color Temperature	2700K~6500K
Life-span	30,000Hours
LED Type	SMD
lampholder	E14,B15,E27,B22



Item No.419208
Bulb Shape::C30LH

Specification	Value
Power	4W±10%
Voltage	AC 100V/240V
Frequency	50/60 Hz
Beam Angle	270°
Lumen	396LM
Color Temperature	2700K~6500K
Life-span	30,000Hours
LED Type	SMD
lampholder	E14,B15,E27,B22



Item No.419207
Bulb Shape::C30H

Specification	Value
Power	4W±10%
Voltage	AC 100V/240V
Frequency	50/60 Hz
Beam Angle	270°
Lumen	396LM
Color Temperature	2700K~6500K
Life-span	30,000Hours
LED Type	SMD
lampholder	E14,B15,E27,B22



Item No.401053-3028

Specification	Value
Power	8W±10%
Voltage	AC 100V/240V
Frequency	50/60 Hz
Beam Angle	180°
Lumen	550LM
Color Temperature	2700K~6500K
Life-span	30,000Hours
LED Type	SMD
lampholder	GX53



Item No.401053-50L

Specification	Value
Power	4W±10%
Voltage	AC 100V/240V
Frequency	50/60 Hz
Beam Angle	60°
Lumen	300LM
Color Temperature	2700K~6500K
Life-span	30,000Hours
LED Type	SMD
lampholder	GX53



Item No.401053-55

Specification	Value
Power	5.5W±10%
Voltage	AC 100V/240V
Frequency	50/60 Hz
Beam Angle	180°
Lumen	470LM
Color Temperature	2700K~6500K
Life-span	30,000Hours
LED Type	SMD
lampholder	GX53





Item No.401070

Specification	Value
Power	8W/12W
Voltage	AC 100V/240V
Frequency	50/60 Hz
Beam Angle	180°
Lumen	650LM/800LM
Color Temperature	2700K~6500K
Life-span	30,000Hours
LED Type	SMD
lampholder	GX70



Item No.403G42-21



Item No.403G43-B



Item No.403G48-9



Item No.403G43-A


Item No.	Power	Voltage	Beam Angle	Lumen	Color Temperature	Life-Span	LED Type	Lamp-holder
403G43-A	1.3W	12V	120°	90LM	2700K-7000K	30000Hours	21xSMD	G4.0
403G43-B	1.1W	12V	120°	80LM	2700K-7000K	30000Hours	20xSMD	G4.0
403G42-21	1.0W	12V	120°	90LM	2700K-7000K	30000Hours	21xØ5MM	G4.0
403G48-9	1.3W	12V	120°	90LM	2700K-7000K	30000Hours	9xSMD	G4.0



Item No.403403



Item No.403404



Item No.403406



Item No.403407

Item No.	Power	Voltage	Beam Angle	Lumen	Color Temperature	Life-Span	LED Type	Lamp-holder	Size
403403	1.5W	12V AC/DC	360°	110LM	2700K-7000K	30000Hours	24xSMD	G4.0	Ø9.5X34.5MM
403404	1.5W	12V DC	360°	110LM	2700K-7000K	30000Hours	24xSMD	G4.0	Ø9.5X34.5MM
403406	2.5W	12V AC/DC	360°	160LM	2700K-7000K	30000Hours	48xSMD	G4.0	Ø12X37MM
403407	3.0W	12V AC/DC	360°	200LM	2700K-7000K	30000Hours	57xSMD	G4.0	Ø15X43MM



Item No.403401



Item No.403410



Item No.403408

Item No.	Power	Voltage	Beam Angle	Lumen	Color Temperature	Life-Span	LED Type	Lamp-holder	Size
403401	3W	12V AC/DC	360°	200LM	2700K-7000K	30000Hours	12xSMD	G4.0	Ø16X34MM
403410	3.6W	12V DC	360°	200LM	2700K-7000K	30000Hours	18xSMD	G4.0	Ø16X50MM
403408	2W	12V AC/DC	360°	120LM	2700K-7000K	30000Hours	12xSMD	G4.0	Ø14X34MM



Item No.403402



Item No.403405



Item No.403411



Item No.403412


Item No.	Power	Voltage	Beam Angle	Lumen	Color Temperature	Life-Span	LED Type	Lamp-holder	Size
403402	1W	12V DC	360°	75LM	2700K-7000K	30000Hours	1xCOB	G4.0	Ø11X32MM
403405	3W	12V AC/DC	360°	160LM	2700K-7000K	30000Hours	8xSMD	G4.0	Ø10X29MM
403411	2W	12V AC/DC	360°	140LM	2700K-7000K	30000Hours	SMD	G4.0	Ø14X35MM
403412	2W	12V AC/DC	360°	140LM	2700K-7000K	30000Hours	SMD	G4.0	Ø18X56MM




Item No.403G41-1



Item No.403G41-2



Item No.403G46



Item No.	Power	Voltage	Beam Angle	Lumen	Life-Span	LED Type	Lamp-holder	Size
403G41-1	0.5W	220V	90°	10LM	30000Hours	SMD	G4.0	Ø11X22MM
403G41-2	0.5W	12V AC/DC	90°	10LM	30000Hours	SMD	G4.0	Ø11X22MM
403G46	1.6W	12V AC/DC	360°	140LM	30000Hours	SMD	G4.0	Ø12X22MM



Item No.412203




Item No.412102




Item No.412101

Item No.	Power	Voltage	Beam Angle	Lumen	Life-Span	LED Type	Lamp-holder	Size
412203	2W	230V	360°	160LM	30000H	1xCOB	G9	Ø14X48MM
412102	2W	230V	360°	140LM	30000H	1xCOB	G9	Ø14X48MM
412101	3.5W	230V	360	220LM	30000H	2xCOB	G9	Ø18X48MM



Item No.412105



Item No.412104



Item No.412103

Item No.	Power	Voltage	Beam Angle	Lumen	Life-Span	LED Type	Lamp-holder	Size
412105	3W	230V	360°	200LM	30000H	64xSMD	G9	Ø15X50MM
412104	3W	230V	360°	200LM	30000H	64xSMD	G9	Ø15X50MM
412103	3W	230V	360°	200LM	30000H	64xSMD	G9	Ø15X50MM



Item No.412001-2



Item No.419003-756



Item No.419202

Item No.	Power	Voltage	Beam Angle	Lumen	Life-Span	LED Type	Lamp-holder	Size
412001-2	3W	230V	360°	200LM	30000H	9xSMD	G9	Ø18X55MM
419003-756	2.5W	230V	360°	200LM	30000H	9xSMD	E14/B15	Ø18X55MM
419202	3W	230V	360°	200LM	30000H	64xSMD	E14/B15	Ø15X50MM



Item No.419001



Item No.419003-7S



Item No.419201

Item No.	Power	Voltage	Beam Angle	Lumen	Life-Span	LED Type	Lamp-holder	Size
419001	0.3W	230V	360°	50LM	30000H	1xSMD	E14/B15	Ø20X55MM
419003-7S	1.0W	230V	360°	70LM	30000H	7xSMD	E14/B15	Ø20X55MM
419201	1.5W	230V	360°	80LM	30000H	1xCOB	E14/B15	Ø23X50MM



Item No.419002-2



Item No.419002-1



Item No.419006-1S



Item No.419004-7S

Item No.	Power	Voltage	Beam Angle	Lumen	Life-Span	LED Type	Lamp-holder	Size
419002-2	0.6W	230V	360°	50LM	30000H	SMD	E12	Ø15X40MM
419002-1	0.5W	230V	360°	60LM	30000H	SMD	E12	Ø15X40MM
419006-1S	0.3W	230V	360°	30LM	30000H	SMD	E10	Ø9X28MM
419004-7S	1W	230V	360°	80LM	30000H	SMD	E27/B22	Ø28X58MM

EL-RANGE

A professional in lighting

EL-RANGE MANUFACTURING CO., LTD.

Office: Unit A1007, No.203 Lantian Rd., Ningbo China, 315010

Tel: +86-574-27786155

Fax: +86-574-87705725

E-mail: sales@el-range.com

<http://www.el-range.com>

Factory: Shangqiao, Xiwu Town, Fenghua, Ningbo, 315628, P.R. China

AGENT IN AUSTRALIA:

JELECO INTERNATIONAL PTY., LTD.

5 Moroney Drive, Chadstone

VIC 3148

Tel: +61-3-90412057

Mobile: 0430 71 8095

AGENT IN U.S.A

DNC. LLC

3459 Park Place

Pleasanton, CA 94588

Tel: +1-925 426 1095

